

CONOCO,INC. -- DN-600 GEAR OIL (9095-35) -- 9150-01-152-1094

=====
Product Identification
=====

Product ID:DN-600 GEAR OIL (9095-35)

MSDS Date:01/01/1987

FSC:9150

NIIN:01-152-1094

MSDS Number: BGPCG

=== Responsible Party ===

Company Name:CONOCO,INC.

Emergency Phone Num:405-767-6000

CAGE:DO836

=== Contractor Identification ===

Company Name:CONOCO INC

Address:1000 S PINE

Box:1267

City:PONCA CITY

St

ate:OK

ZIP:74603

Country:US

Phone:800-441-3637,CHEMTREC 800-424-9300

CAGE:58326

Company Name:CONOCO,INC.

Box:1267

City:PONCA CITY

State:OK

ZIP:74603

Country:US

Phone:405 767-6000

CAGE:DO836

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBONS

Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:EYE, SKN, INHL: IRRIT. INGEST: NO ADVERSE EFFECT.

=====
First Aid

Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:350F/177C PMCC
Extinguishing Media:WATER SPRAY, DRY CHEM, FOAM, CO*2
Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROT
HING.COOL CNTRS
W/WATER SPRAY.
Unusual Fire/Explosion Hazard:SEE REACTIVITY- SEC VI

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. STOP LEAKS AS REQ'D. SHOVEL OR
VACUUM INTO CLOSED CNTR FOR RECOVERY OR DISPOSAL. COLLECT REMAINDER
W/ABSORBENT AND PLACE IN CLOSED CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE & HANDLE AS CLASS IIIB
COMBUSTIBLE.

==
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQD
Ventilation:GENERAL
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES W/SD SHIEL
Other Protective Equipment:FULL BODY COVER, EYEWASH FOUNTAIN.
Supplemental Safety and Health
ENTRY PER OSHA HCS MSDS DTD 12APR85.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:700F/1292C
Vapor Pres:NIL
Spec Gravity:0.88
Evaporation Rate & Refere

nce:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT GREEN LIQUID,MILD HYDROCARBON-PETROLEUM ODOR

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:HEAT, FLAME

Hazardous Decomposition Products:CARBON OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:RECOVER OR INCINERATE IN APPROVED FACILITY IAW
ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to the
ir
particular situation.