

MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY -- MOBIL RARUS 427 --
9150-01-158-2881

===== Product Identification =====

Product ID:MOBIL RARUS 427

MSDS Date:01/22/1991

FSC:9150

NIIN:01-158-2881

MSDS Number: BGPJT

=== Responsible Party ===

Company Name:MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY

Address:PENNINGTON-ROCKY HILL RD

City:PENNINGTON

State:NJ

ZIP:08534

Country:US

Info Phone Num

:800-662-4525 OR 227-0707 X3265

Emergency Phone Num:609-737-4411

CAGE:0AHK0

=== Contractor Identification ===

Company Name:MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY

Address:PENNINGTON-ROCKY HILL RD

Box:City:PENNINGTON

State:NJ

ZIP:08534

Country:US

CAGE:0AHK0

Company Name:SPENCER BROTHERS INC

Address:RAILROAD AVE

Box:581

City:WAVERLY

State:VA

ZIP:23890

Country:US

Phone:804-834-2322

CAGE:7X705

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES,

HYDROTREATED HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

Fraction by Wt: 95.0%

Other REC Limits:NONE SPECIFIED

OSHA PEL:300 PPM

ACGIH TLV:300 PPM

Ingred Name:ADDITIVES AND/OR OTHER INGREDIENTS.

Fraction by Wt: 5G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES AND SKIN OR
RESPIRATORY TRACT IN CASE OF AN OIL MIST INHALATION/CNS EFFECTS.

CHRONIC:IRRITATION,POSSIBLE

DERMATITIS.

Explanation of Carcinogenicity:DATA PER MSDS.

Effects of Overexposure:MAY CAUSE MILD IRRITATION OF SKIN OR EYES ON
CONTACT (SLIGHTLY TOXIC)

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

===== First Aid Measures =====

First Aid:EYE CONTACT:-FLUSH WITH WATER. SKIN CONTACT:-WASH AFFECTED
AREA WITH SOAP & WATER INHAL:-NOT EXPECTED A PROBLEM IN CASE OF
PROBLEM, CONSULT OR CALL A PHYSICIAN

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>450F,>232C

Lower Limits:0.6

Upper Limits:7.0

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE NOTED;COMBUSTION OR HEAT OF FIRE MAY
PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND

VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures: ADSORB ON FIRE RETARDANT TREATED
SAWDUST, EARTH, SAND ETC. SHOVEL UP AND COLLECT IN AN APPROVED
CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions: NO SPECIAL PRECAUTIONS REQUIRED. USE
COMMON HYGIENE PRACTICES FOR HANDLING OILS AND CHEMICALS.
Other Precautions: AVOID SKIN AND EYE CONTACT. POSSIBLE SKIN IRRITATION

=====
= Exposure Controls/Personal Protection =====

Respiratory Protection: NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.
Ventilation: MECH(GEN) OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION
Protective Gloves: IMPERVIOUS
Eye Protection: SAFETY/CHEM GOGGLES
Other Protective Equipment: AS REQUIRED TO PREVENT PROLONGED CONTACT.
Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE
VAPORS/MIST; WASH AFTER USE; DO NOT USE CONTAMINATED CLOTHES.
Supplement
al Safety and Health

===== Physical/Chemical Properties =====

HCC: V6
Boiling Pt: B.P. Text: >600F/316
Vapor Pres: