

XEROX CORPORATION -- FUSER LUBRICANT,8 R 983,8 R 3692 -- 6850-01-165-5408

=====
Product Identification
=====

Product ID:FUSER LUBRICANT,8 R 983,8 R 3692

MSDS Date:12/07/1993

FSC:6850

NIIN:01-165-5408

MSDS Number: BGPNC

=== Responsible Party ===

Company Name:XEROX CORPORATION

Address:100 CLINTON AVE SOUTH, XROX SQ

City:ROCHESTER

State:NY

ZIP:14644

Country:US

Info Phone Num:800-828-6571

Emergency P

hone Num:716-422-2177/1230

CAGE:26921

=== Contractor Identification ===

Company Name:XEROX CORPORATION

Address:100 CLINTON AVE SOUTH

Box:City:ROCHESTER

State:NY

ZIP:14644-1877

Country:US

Phone:800-828-6571/716-422-2177

CAGE:26921

=====
Composition/Information on Ingredients
=====

Ingred Name:POLY (DIMETHYLSILOXANE)

CAS:63148-62-9

RTECS #:JJ6484500

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50

LC50 Mixture:LD50 (ORAL, RAT) IS >35000 MG/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:RESPIRATORY TRACT.

EYES/SKIN:NO IRRITATION. INHALATION:MAY CAUSE MINIMAL IRRITATION ON CONTINUOUS EXPOSURE TO HIGH CONCENTRATIONS. INGESTION:PRACTICALLY NON-TOXIC. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:RESPIRATORY TRACT IRRITATION

Medical Cond Ag

gravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>500F,>2

60C

Extinguishing Media:FOAM, CARBON DIOXIDE, WATER SPRAY

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH AN ABSORBENT MATERIAL SUCH AS VERMICULITE. CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.

Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:USE REASONABLE CARE AND CAUTION.

Other Precautions:DO NOT BREATHE VAPORS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Ventilation:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Protective Gloves:PVC OR PLASTIC RECOMMENDED

Eye Protection:NONE REQUIRED WHEN USED AS INTENDED.

Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN

XEROX
EQUIPMENT.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:300F,149C

Vapor Pres: