

VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.) -- 4405-1GR TYPE H TONER PREMIX --  
6850-01-167-5227

=====  
Product Identification  
=====

Product ID:4405-1GR TYPE H TONER PREMIX

MSDS Date:01/01/1987

FSC:6850

NIIN:01-167-5227

MSDS Number: BGPNZ

=== Responsible Party ===

Company Name:VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

Address:2710 WALSH AVE.

City:SANTA CLARA

State:CA

ZIP:95051-0905

Co

Country:US

Info Phone Num:408-985-5810 OR 800-828-6571

Emergency Phone Num:F46-422-2177 (XEROX CORP, NY)

CAGE:50804

=== Contractor Identification ===

Company Name:VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

Address:2710 WALSH AVE.

Box:City:SANTA CLARA

State:CA

ZIP:95051-0905

Country:US

Phone:716-422-2177 (XEROX CORP, NY)

CAGE:50804

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOPARAFFINIC PETROLEUM SOLVENT(ISOPAR G);CAS

#64742-48-9(PER MFR); TLV 300

PPM PER MFR

Fraction by Wt: >95%

ACGIH TLV:300PPM(PER MFR)

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL

CAS:128-37-0

RTECS #:GO7875000

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3; 9192

Ingred Name:ROSIN BINDER; PER MFR,CAS #8050-09-7

Ingred Name:MOLYBDATED CARBON BLACK

Ingred Name:ALUMINUM STEARATE; PER MFR,CAS #637-12-7; SEE SUPPLEMENTAL  
DATA FOR OTHER COMPONENTS.

=====  
Hazards Identification  
=====

Effects of Overexposure:DIRECT INHALATION OF FUMES MAY CAUSE IRRIT

ATION  
TO MUCUS MEMBRANES

=====  
First Aid Measures  
=====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST: DO NOT INDUCE  
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====  
Fire Fighting Measures  
=====

Flash Point:105F,40C TCC  
Lower Limits:0.8  
Upper Limits:7.0  
Extinguish  
ing Media:FOAM,DRY CHEMICAL,CO\*2,WATER FOG  
Fire Fighting Procedures:AVOID WATER, IT TENDS TO SPREAD HYDROCARBON  
SOLVENT FIRES  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIMINATE IGNITION SOURCE. ABSORB FREE LIQUID  
WITH SAND,SOIL,ETC. PLACE IN DISPOSAL CONTAINER. FLUSH RESIDUE  
W/SOAP & WATER. VENTILATE AREA.

=====  
Handling and Storage  
=====

Handling and Storage  
Precautions:KEEP CONTAINER CLOSED. AVOID HDLG NEAR  
HEAT, STG LIGHT, SPARKS, OPEN FLAMES, STRG OXIDANTS.  
Other Precautions:AVOID BRTHG VAPORS. AVOID PROLONGED OR REPEATED SKIN  
CONTACT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE  
Ventilation:NONE  
Protective Gloves:NONE  
Eye Protection:OPTIONAL  
Other Protective Equipment:NEOPRENE OR NITRILE GLOVES FOR  
PROLONGED/REPEATED SKIN CONT.  
Supplemental Safety and Health  
MSDS FM MFR DATED:16JUL

85;NIOSH6:1002503DA,DISPERSING  
AGENT;NIOSH7:1002504,NEOCRYL-VINYLTOLUENEBUTYLMETHACRYLATE  
RESIN;NIOSH8:1000093DY,DYE; WT % & TLVS UNKNOWN;SP GRVTY  
RANGE:0.75-0.81.

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:160-177C  
Vapor Density:5.0  
Spec Gravity:0.78  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:BLACK LIQUID,SLIGHT ODOR  
Percent Volatiles by Volume:>80%

===== Stability and Reactivity Data =====

S  
Stability Indicator/Materials to Avoid:YES  
STRONG OXIDANTS  
Stability Condition to Avoid:HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES,  
STRONG OXIDANTS  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF LIQUID AND ABSORBANT AT AN APPROVED  
DISPOSAL SITE OR FACILITY I/A/W ALL LOCAL, STATE & FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is  
formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.