View NSN Online: https://aerobasegroup.com/nsn/6850-01-181-7178 EZE PRODUCTS, INC. -- EZE 459 -- 6850-01-181-7178 ============= Product Identification ======================== Product ID:EZE 459 MSDS Date:05/01/1986 FSC:6850 NIIN:01-181-7178 MSDS Number: BGPYL === Responsible Party === Company Name: EZE PRODUCTS, INC. Address:603 HIGH TECH CT Box:5744 City:GREENVILLE State:SC ZIP:29606 Country:US Info Phone Num:404-482-1530 Emergency Phone Num:803-879-7100 OR 404-242-0430 CAGE:NO151 === C ontractor Identification === Company Name: EZE PRODUCTS, INC Address:603 HIGH TECH CT Box:5744 City:GREENVILLE State:SC ZIP:29606 Country:US Phone:803-242-1002 OR 803-879-7100 CAGE:8Z357 Company Name: EZE PRODUCTS, INC. Address:603 HIGH TECH CT Box:5744 City:GREENVILLE

State:SC ZIP:29606 Country:US

Phone: 404-482-1530

CAGE:NO151

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:VL8047000 Fraction by Wt: 10-40 %

Other REC Limits:200PPM

**OSHA PEL:100 PPM** 

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 1-7% OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name: HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000 OSHA PEL:C 25 PPM

ACGIH TLV:C 25 PPM; 9192

Ingred Name: UNIDENTIFIED COMPONENTS

========= Hazards Identification ============================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Haz

ards Acute and Chronic:ACUTE:IRRITATION OF

EYES, SKIN, RESPIRATORY TRACT IN FORM OF VAPORS/MIST. CHRONIC:NO DATA AVAIL

Effects of Overexposure:EYES:IRRITATION,BURNING & REDNESS

SKIN: IRRITATION. BURNING

INHALATION: HEADACHE, DIZZINESS, NAUSEA, IRRITATION OF RESPIRATORY

TRACT. INGESTION: NAUSEA, VOMITING, DIARRHEA

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF

NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

========= Fire Fighting Measures ===============

Flash Point: NONE TO BOILING

Extinguishing Media:WATER,CO\*2,FOAM.

Fire Fighting Procedures: USENIOSH APPROVED SCBA FOR SURROUNDING FIRES.

Unusual Fire/Explosion Hazard: COOL EXPOSED CONTAINER: AVOID STRONG

IGNITION SOURCES

=======

====== Accidental Release Measures ============
Spill Release Procedures:USEPROPER PERSONAL PROTECTION;USE ABSORBENT MATERIAL OVER THE SPILLED AREA AND RECOVER FOR PROPER DISPOSAL.
======================================
Handling and Storage Precautions:USE NORMAL PROCEDURES FOR HANDLING LIQUID.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE MIST/VAPORS.
======= Exposure Control s/Personal Protection =========
Respiratory Protection:NONE NORMALLY REQUIRED;USE NIOSH/MSHA APPROVED RESPIRATOR FOR MIST/VAPOR IN CASE THERE IS NO ADEQUATE VENTILATION Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION Supplemental Safety and Health MSDS UNDATED;ITEM IS TYPE II OR SPEC MIL-C-87936.
======================================
HCC:N1 Boiling Pt:B.P. Text:202F/94.4C Spec Gravity:0.98 oH:12.3 Solubility in Water:DISPERSIBLE Appearance and Odor:CLEAR AMBER LIQUID,MILD ODOR
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING OR REDUCING AGENTS Stability Condition to Avoid:EXTREME Hazardous Decomposition Products:BURNING CAN PRODUCE OXIDES OF CARBON  ===================================

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profession al advice to verify and assume responsibility for the suitability of this information to their particular situation.