

OLIN HUNT SPECIALTY PRODUCTS INC. -- HUNT 870 TONER -- 6850-01-204-2914

=====  
Product Identification  
=====

Product ID:HUNT 870 TONER

MSDS Date:08/11/1986

FSC:6850

NIIN:01-204-2914

Kit Part:Y

MSDS Number: BGQNL

=== Responsible Party ===

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC.

Address:5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

Info Phone Num:(203)789-5436

Emerge

ncy Phone Num:(201)585-7100

Preparer's Name:ENVIRONM.HYGIENE&TOXICOL.

CAGE:OLINH

=== Contractor Identification ===

Company Name:FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988

Country:US

Phone:201-967-9603

CAGE:73877

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC.

Address:5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

Phone:203-789-5436

CAGE:OLINH

=====  
Composition/Information on Ingredients  
=====

===

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
Fraction by Wt: 1.3%  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3; 9192

Ingred Name:PROPRIETARY MIXTURE OF PIGMENTED INERT RESINOUS MATERIALS  
Fraction by Wt: 6.7%

Ingred Name:NAPHTHA,HYDROTREATED HEAVY (MFR STATES MIXED ISODECANES)  
CAS:64742-48-9  
Fraction by Wt: 92%  
Other REC Limits:300PPM

=====  
===== Hazards Identification =====

Health Hazards Acute and Chronic:ACUTE: HEADACHE,NAUSEA;FOR MORE SEVERE EXPO SURE MILD DEPRESSION AND/OR RESPIRATORY IRRITATION.UPSET STOMACH;POSSIBLE IRRITATION AND NAUSEA. CHRONIC:NONE NOTED.  
Explanation of Carcinogenicity:CARBON BLACK DEFINED AS CARCINOGEN BY NIOSH WITHOUT ANY FURTHER CATEGORIZATION.  
Medical Cond Aggravated by Exposure:NONE NOTED

=====  
===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====  
===== Fire Fighting Measures =====

Flash Point:126.5F,52.5C,TCC  
Lower Limits:0.7  
Upper Limits:6.5  
Extinguishing Media:FOAM TYPE EXTINGUISHERS-SUPERIOR TO CO\*2 EXTINGUISHERS  
Fire Fighting Procedures:AVOID USING WATER-IT TENDS TO SPREAD HYDROCARBON SOLV.FIRES.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures

=====

Spill Release Procedures:IF AMT IS SMALL(UNDER 1 PINT),ALLOW TO  
EVAP,INCREASING AIR CIRC. AVOID SPARKS,OPEN FLAMES-IF SPILL IS  
LARGE,CONTAIN,AND SOP UP INTO A CONTAINER WHICH CAN BE CLOSED.AVOID  
BREATHING VAPORS.

Neutralizing Agent:NONE NOTED

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED. AVOID STORAGE  
NEAR HEAT,STRONG LIGHT (IF CONTAINERS ARE CLEAR),SPARKS OR OPEN  
FLAMES.

Oth

er Precautions:AVOID USE IN A SMALL CLOSED ROOM OR CONFINED AREA  
WITH POOR AIR CIRCULATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED UNDER ORDINARY CONDITIONS-NIOSH APPVD  
RESP IF TLV EXCEEDED

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN