View NSN Online: https://aerobasegroup.com/nsn/1430-01-205-6877

FALCON SAFETY PRODUCTS INC. -- FALCON DUST-OFF, FALCON DUST OFF II, VWR DU -- 1430-01-205-6877

============= Product Identification ========================

Product ID:FALCON DUST-OFF, FALCON DUST OFF II, VWR DU

MSDS Date:01/01/1987

FSC:1430

NIIN:01-205-6877

MSDS Number: BGQNS === Responsible Party ===

Company Name: FALCON SAFETY PRODUCTS INC.

Address:1065 BRISTOL ROAD

City:MOUNTAINSIDE

State:NJ ZIP:07092 Country:US Info Ph

one Num:201-233-5000

Emergency Phone Num:201-233-5000

CAGE:02670

=== Contractor Identification ===

Company Name: DIRECT SAFETY CO, DIV OF JENSEN TOOLS INC

Address:7815 S 46TH ST

Box:City:PHOENIX

State:AZ

ZIP:85044-5399

Country:US

Phone:602-968-7009

CAGE:2P651

Company Name: FALCON SAFETY PRODUCTS INC

Address:25 CHUBB WAY

Box:1299

City:SOMMERVILLE

State:NJ ZIP:08876 Country:US

Phone:908-707-4900

CAGE:02670

Company Name: MICRO CONNECTING DEVICES (805-581-3074)

Box:UNKNOW CAGE:0YN38

Company Name: VWR SCI

ENTIFIC - DIV OF UNIVAR Address:200 CENTER SQUARE RD Box:626 City:BRIDGEPORT State:NJ ZIP:08014 Country:US Phone:609-467-2600 CAGE:2E624
======= Composition/Information on Ingredients ========
Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 100.0% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1
============ Hazards Identification =============
LD50 LC50 Mixture:ORAL LD50 (RAT) = >1000 MG/KG (FREON 12) Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:FOR FREON 12- ACUTE: A MILD EYE IRRITANT. INHALATION MAY CAUSE CNS AND NARCOSIS. HIGH CONCENTRATIONS MAY CAUSE IRREGULARITIES, UNCONSCIOUSNESS, OR DEATH REPEATED INGESTION CAUSED SLIGHT LIVER EFFECTS AND SLIGHT DECREASE IN WEIGHT GAIN. CONTACT WITH LIQUID MAY CAUSE FROSTBITE. CHRONIC: N
ONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:NOT LISTED BY IARC, NTP, OSHA AS A

Explanation of Carcinogenicity: NOT LISTED BY IARC, NTP, OSHA AS A CARCINOGEN.

Effects of Overexposure:NONE UNLESS CONTACTED IN HIGH CONCENTRATIONS.

Medical Cond Aggravated by Exposure:PEOPLE WITH PREEXISTING DISEASES OF
THE CENTRAL NERVOUS OR CARDIOVASCULAR SYSTEM MAY HAVE INCREASED
SUSCEPTIBILITY TO TOXICITY OF EXCESSIVE EXPOSURES.

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT B

REATHING, GIVE CPR.

IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. KEEP VICTIM QUIET, DO NOT GIVE STIMULANTS. NARCOTIC EFFECT. DENSE VAPORS MAY REMA IN IN LUNGS. MAY CAUSE MILD IRRITATION.EYE: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER PROMPTLY. GET MEDICAL ATTENTION.

============= Fire Fighting Measures ========================

Flash Point:NONE

Autoignition Temp: Autoignition Temp

Text:NONE

Extinguishing Media: NONE, IS ITSELF A MODERATE EXTINGUISHANT.

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard:NONE

======== Accidental Release Measures ============

Spill Release Procedures:LEAKING AEROSOL CAN SHOULD BE REMOVED TO OPEN AREA. MATERIAL WILL QUICKLY EVAPORATE.

Neutralizing Agent:NONE

============ Handling and Storage ===============

Handling and Storage Precautions: DO NOT STORE ABOVE 120 DEG F. DO NOT USE AROUND

OPEN FLAME. SPRAY AWAY FROM EYES. DO NOT PUNCTURE OR INCINERATE PRESSURIZED CANS.

Other Precautions:DO NOT INVERT CAN TO EXPEL LIQUID. CONTACT W/SKIN CAN CAUSE FROSTBITE.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE NORMALLY NEEDED Ventilation: MECHANICAL (GEN) RECOMMENDED

Protective Gloves: NONE

Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE

Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS

PRODUCT.WASH HA

NDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health NONE ======== Physical/Chemical Properties =========== HCC:V2 Boiling Pt:B.P. Text:-21.6F,-30C Vapor Pres:85 PSIA

Vapor Density:28

Spec Gravity:1.31

Evaporation Rate & Dr. Reference: RAPID (N-BUTYL ACETATE=1)

Solubility in Water:SLIGHT

Appearance and Odor:CLEAR LIQUID, NO ODOR

Percent Volatiles by Volume:100

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avo id:YES AS DUST-OFF PRODUCTS- NONE

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: NONE

======= Disposal Considerations ===========

Waste Disposal Methods: DO NOT PUNCTURE, CRUSH OR INCINERATE PRESSURIZED AEROSOL CANS. EMPTIES MAY BE SCRAPPED/LANDFILLED IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated f or use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.