View NSN Online: https://aerobasegroup.com/nsn/8010-01-218-0856

DEFT INC/CHEMICAL COATING DIV -- 44GN007 COMP A MIL-P-85582A TY I C1 1 -- 8010-01-218-0856

Product ID:44GN007 COMP A MIL-P-85582A TY I C1 1

MSDS Date:07/17/1991

FSC:8010

NIIN:01-218-0856

Kit Part:Y

MSDS Number: BGQTR === Responsible Party ===

Company Name: DEFT INC/CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE State:CA

ZIP:92714-6205

Country:US

In

fo Phone Num:714-474-0400

Emergency Phone Num:714-474-0400

CAGE:FO129

=== Contractor Identification ===

Company Name: DEFT INC/CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE State:CA

ZIP:92714-6205

Country:US

Phone:714-474-0400

CAGE:FO129

Company Name: DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE State:CA ZIP:92614 Country:US

Phone:949-474-0400

CAGE:33461

======= Composition/Information on Ingredients ========

Ingred Name:2-BUTOXYETHANOL (ETHYLENE GLYCOL MONOB

UTYL ETHER), BUTYL CELLOSOLVE, BUTYL GLYCOL, GLYCOL ETHER EB

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 15%

Other REC Limits:25 PPM (SKIN)

OSHA PEL:25 PPM (SKIN) ACGIH TLV:25 PPM (SKIN)

Ingred Name:SOLVENT NAPHTHA, PETROLEUM, LIGHT AROMATIC, HIGH FLASH AROMATIC NAPHTHA

CAS:64742-95-6

RTECS #:WF3400000 Fraction by Wt: 15%

Ingred Name:BARIUM CHROMATE(VI) (CONFIRMED HUMAN CARCINOGEN BY ACGIH, IARC; CONFIRMED CARCINOGEN BY NTP - IARC GROUP 1) *94-4*

CAS:10294-40-3 RTECS #:CQ876000

n

Fraction by Wt: 25%

OSHA PEL:0.1 MG(CR)/M3 ACGIH TLV:0.05 MG(CR)/M3

Ingred Name: VOLATILE ORGANIC COMPOUNDS: 391 G/L

RTECS #:9999999VO

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHALATION: IRRITATION OF

NOSE/THROAT/RESPIRATORY TRACT & ACUTE NERVOUS SYSTEM DEPRESSION.

EYES: LIQUID/AEROSOLS/VAPORS ARE IRRITATING. S

KIN: IRRITATION,

SENSITIZATION. SKIN ABSORPTION: MODERATE IRRIT ATION. INGESTION: IRRITATION/POSSIBLE CORROSIVE ACTION IN MOUTH/STOMACH/DIGESTIVE TRACT. (SEE SUPP)

Explanation of Carcinogenicity: SEE INGREDIENTS

Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS, COMA, SWELLING, REDNESS, RASH, TEARING, STINGING SENSATION, DRYING, DEFATTING, CRACKING, DIFFICULT BREATHING.

Medical Cond Aggravated by Exposure: ASTHMA/OTHER RESP

| IRATORY DISORDERS, SKIN ALLERGIES, ECZEMA, DERMATITIS. |
|---|
| ====================================== |
| First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. SKIN: WASH AFFECTED AREAS THOROUGHLY W/SOAP & WATER. EYES: FLUSH W/CLEAN LUKEWARM WATER AT LOW PRESSURE FOR 15 MINS. INGESTION: DON'T INDUCE VOMITIN G. ASPIRATION HAZARD. DON'T GIVE ANYTHING TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES. |
| ====================================== |
| Flash Point Method:TCC Flash Point:116F Lower Limits:1 Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING/FIRE FIGHTING EQUIPMENT. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD UP/AUTO IGNITION/EXPLOSION. Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. |
| ========== Accidental Release Measures === |
| Spill Release Procedures:EVACUATE & VENTILATE AREA. REMOVE ALL IGNITION SOURCES. CONTAIN & REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS. |
| ====================================== |
| Handling and Storage Precautions:AVOID STORING NEAR HIGH TEMPS, FIRE, OPEN FLAMES & SPARK SOURCES. STORE IN TIGHTLY CLOSED CONTAINER IN WELL VENTILATED AREAS. Other Precautions:KEEP CONTAINERS TIGHT & UPRIGHT TO PREVENT LEAKAGE. AVOID PROLONGED BREATHING OF V APORS/SPRAY MISTS & CONTACT W/SKIN & EYES. DON'T TAKE INTERNALLY. SMOKE IN SMOKING AREAS ONLY. APPLICATION TO HOT SURF ACES REQUIRES SPECIAL PRECAUTIONS. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:WEAR APRROVED AIR PURIFYING/FRESH AIR SUPPLIED RESPIRATOR FOR ORGANIC VAPOR ENVIRONMENT. Ventilation:SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS OF SOLVENT VAPORS/MISTS BELOW THEIR RESPECTIVE TLV. Protective Gloves:COTTON/NEOPRENE/RUBBER/ |

POLYETHYLENE Eye Protection: SAFETY GLASSES W/SPLASH GUARDS Other Protective Equipment: SIDE SHIELDS, CHEMICAL GOGGLES/FACE SHIELDS, LONG SLEEVE & LONG LEG CLOTHING. Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS BEFORE EATING, SMOKING, USING WASHROOM. Supplemental Safety and Health HEALTH HAZARDS CONT'D: VOMITING MAY CAUSE ASPIRATION OF SOLVENT RESULTING IN CHEMICAL PNEUMONITIS. OVEREXPOSURE MAY CAUSE ASTHMA/OTHER ALLERGIC RESPONSES, POSSIBLE KIDNEY/LIVER DAMAGE, DELAYED EFFECTS OF BLOOD/GI/NERVOUS/REPRODUCTIVE SYSTEMS. ======== Physical/Chemical Properties ============= Boiling Pt:B.P. Text:308-340F Vapor Density:>1 Spec Gravity:1.52 Evaporation Rate & Reference: (N-BU AC = 1): 0.44 Solubility in Water: INSOLUBLE Appearance and Odor: GREEN LIQUID W/SOLVENT ODOR. Percent Volatiles by Volume:44.6 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES XIDIZING MATERIALS, STRONG ACIDS, EPOXY RESINS UNDER UNCONTROLLED CONDITIONS. Stability Condition to Avoid: EXTREME HEAT, HIGH TEMPS, FIRE, OPEN FLAMES, SPARK SOURCES. Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, CHROMIUM

Conditions to Avoid Polymerization: HIGH TEMPS, EPOXY RESINS UNDER

======= Disposal Considerations =============================

Waste Disposal Methods: WASTE MUST BE DISPOSED OF IAW/FEDERAL, STATE &

OXIDES.

LOC

UNCONTROLLED CONDITIONS.

AL ENVIRONMENTAL REGULATIONS. EMPTY CONTAINERS MUST BE HANDLED W/CARE DUE TO PRODUCT RESIDUE & FLAMMABLE VAPOR. DON'T INCINERATE CLOSED CONTAINERS. UN 1263, EPA HAZARDOUS WASTE D001/D007/F003/F005.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims

all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.