

ANOMET INC. -- PASA JELL 102 -- 6850-01-228-0074

=====  
===== Product Identification =====

Product ID:PASA JELL 102

MSDS Date:01/01/1987

FSC:6850

NIIN:01-228-0074

MSDS Number: BGQYD

=== Responsible Party ===

Company Name:ANOMET INC.

Address:2230 GLADWICK ST

City:COMPTON

State:CA

ZIP:90220

Country:US

CAGE:NO253

=== Contractor Identification ===

Company Name:ANOMET INC

Address:2230 GLADWICK ST

Box:City:CO

MPTON

State:CA

ZIP:90220

Country:US

Phone:310-637-0734

CAGE:0AEP5

Company Name:ANOMET INC.

Address:2230 GLADWICK ST

Box:City:COMPTON

State:CA

ZIP:90220

Country:US

CAGE:NO253

=====  
===== Composition/Information on Ingredients =====

Ingred Name:NITRIC ACID (SARA III)

CAS:7697-37-2

RTECS #:QU5775000

Fraction by Wt: 11.0%

OSHA PEL:2 PPM/4 STEL

ACGIH TLV:2 PPM/4 STEL; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:CHROMIUM (VI) OXIDE

CAS:1333-82-0

RTECS #:GB6650000

Fractio

n by Wt: 1.0%  
OSHA PEL:C, 0.1 MG/M3 (CRO3)  
ACGIH TLV:0.05 MG/M3(CR); 8990

Ingred Name:PHOSPHORIC ACID (SARA III)  
CAS:7664-38-2  
RTECS #:TB6300000  
Fraction by Wt: 53.0%  
OSHA PEL:1 MG/M3/3 STEL  
ACGIH TLV:1 MG/M3/3 STEL; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:ACID BURNS TO SKIN AND EYES:IRRITATION OF  
MUCOUS MEMBRANES.IRRITATION/DAMAGE TO RESP.& G.I.TRACT.

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Extinguishing Media:USE ANY MEDIA FOR SURROUNDING FIRES.  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED  
AREA  
Unusual Fire/Explosion Hazard:TOXIC FUMES WHEN HEATED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.DIKE AND  
CONTAIN LIQUID;DILUTE WITH LARGE QUANTITIES OF WATER AND/OR  
NEUTRALIZE WITH ALKALINE MATERIAL SUCH AS SODA ASH AND RECOVER FOR  
PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED  
AREA.KEEP AWAY FROM HEAT AND EXTREME HEAT.KEEP C

CONTAINER CLOSED  
WHEN NOT IN USE.

Other Precautions: AVOID CONTACT WITH SKIN AND EYES. DO NOT BREATHE  
VAPORS/MIST. WASH THOROUGHLY AFTER EACH USE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ACID  
VAPORS AND MIST IF > TLV

Ventilation: LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY/CHEM GOGGLES

Other Protective Equipment: FULL PROTECTIVE CLOTHING, SAFETY SHOWER, EYE

WASH STATION

Supplemental Safety and Health

MSDS UNDATED.

=====  
===== Physical/Chemical Properties =====

HCC: C1

Spec Gravity: 1.4

Solubility in Water: MISCIBLE

Appearance and Odor: THICK RED LIQUID, ACID ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

HYDROCARBONS, SOLVENTS, FOOD, PAPER

Stability Condition to Avoid: KEEP AWAY FROM REDUCING AGENTS

Hazardous Decomposition Products: NO, NO\*2, N\*2O

=====  
===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH  
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utili

zing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.