View NSN Online: https://aerobasegroup.com/nsn/6260-01-230-8599

## AMERICAN CYANAMID, CO., CHEMICAL LIGHT DEPT -- CYALUME LIGHT STICK -- 6260-01-230-8599

Product ID:CYALUME LIGHT STICK

MSDS Date:06/15/1988

FSC:6260

NIIN:01-230-8599

MSDS Number: BGQZV === Responsible Party ===

Company Name: AMERICAN CYANAMID, CO., CHEMICAL LIGHT DEPT

Address: ONE CYANAMID PLAZA

City:WAYNE State:NJ

ZIP:07470-4028

Info Phone Num:201-835-3100

**Emergency P** 

hone Num:201-835-3100

Preparer's Name: MARVIN A. FRIEDMAN

CAGE:83289

=== Contractor Identification ===

Company Name: AMERICAN CYANAMID CO CYTEC INDUSTRIES DIV CHEMICAL LIGHT

**DEP** 

Address: 5 GARRET MOUNTAIN PLZ

Box: City: LITTLE FALLS

State:NJ ZIP:07424 Country:US

Phone:201-831-2000/201-357-3100

CAGE:83289

======= Composition/Information on Ingredients ========

Ingred Name: DIBUTYL PHTHALATE (SARA III)

CAS:84-74-2

RTECS #:TI0875000 Fraction by Wt: 45-92% OSHA PEL:5 MG/M3

**ACGIH TLV:5** 

MG/M3; 9192

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:TERT-BUTYL ALCOHOL (SARA III)

CAS:75-65-0

RTECS #:EO1925000 Fraction by Wt: 1-6.5% OSHA PEL:100 PPM

ACGIH TLV:100PPM 9394

Ingred Name: HYDROGEN PEROXIDE

CAS:7722-84-1

RTECS #:MX0899000 Fraction by Wt: 0.3-2.2%

OSHA PEL:1 PPM ACGIH TLV:1 PPM

Ingred Name: DIMETHYLPHTHALATE (SARA III)

CAS:131-11-3

RTECS #:TI1575000 Fraction by Wt: 0-40% OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

\_\_\_\_\_

===== Hazards Identification =========

LD50 LC50 Mixture: ORAL RAT LD50 GREATER THAN 5.0 GM/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS AN ARTICLE CONSISTING OF A PLASTIC TUBE OR SHAPE, CONTAINING AN ACTIVATOR AND A GLASS AMPOULE OF LUMINESCER. PRIME HEALTH HAZARD IS FROM BROKEN GLASS IN THE UNLIKELY EVENT THE EXTERIOR PLAST IC CONTAINER IS RUPTURED.

Effects

of Overexposure:OVER EXPOSURE IS NOT LIKELY TO CAUSE SIGNIFICANT ACUTE EFFECTS. PRODUCT MUST BE DAMAGED IN ORDER FOR ANY SIGNIFICANT PERSONAL CONTACT TO OCCUR. EYE:GLASS CHIPS MAY CAUSE PHYSICAL INJURY. SKIN:NO IRRIT ATION OBSERVED WITH ANIMAL TESTS,SO NO HUMAN IRRITATION EXPECTED.

Medical Cond Aggravated by Exposure: NONE KNOWN.

First Aid:EYE:FLUSH WITH WATER AS PRODUCT MAY CONTAIN GLASS CHIPS. IF IRRITATI

======================================
Flash Point:>200F/93C Extinguishing Media:WATER SPRAY,CARBON DIOXIDE,DRY CHEMICAL. Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. WEAR SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:ABSORB WITH INERT MATERIAL. F LUSH AREA WITH WATER. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:NO SPECIAL HANDLING OR STORAGE SPECIFIED BY MFR.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE NECESSARY UNLESS PRODUCT IS BROKEN. USE NIOSH CARTRIDGE OR SUPPLIED AIR RESPIRATOR IF TLV'S ARE EXCEEDED. Ventilation:NONE NECESSARY.  Protective Gloves:NONE NECESSARY.  Eye Protection:SAFETY GL  ASSES.
Work Hygienic Practices:USE NORMAL GOOD PERSONAL HYGIENE PRACTICE. Supplemental Safety and Health MFR ALSO SELLS PRODUCT UNDER THE FOLLOWING TRADE NAMES:LIGHT-UP,LUNKER LIGHTS,LITE-ROPE,GLOW STICK,LIGHT SHAPE,PML,MAGIC IN THE NIGHT.
========= Physical/Chemical Properties ==========
HCC:N1 Spec Gravity:1.05 Solubility in Water:IMMISCIBLE Appearance and Odor:7.5 IN FLEXIBLE PLASTIC BAND. EMITS GREEN LIGHT WHEN ACTIVATED.
======== Stability and Reactiv

ON PERSISTS,GET MEDICAL ATTENTION. SKIN:WASH WITH SOAP &

WATER.

Stability Indicator/Materials to Avoid:YES NONE REPORTED. Stability Condition to Avoid:NONE REPORTED. Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.
====== Disposal Considerations ===========

ity Data =========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS. HMIS:PRODUCT SHOULD QUALIFY AS ORDINARY WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.