View NSN Online: https://aerobasegroup.com/nsn/6850-01-235-0872

Product ID:EZE 445 MSDS Date:05/01/1986 FSC:6850 NIIN:01-235-0872 **MSDS Number: BGRCQ** === Responsible Party === Company Name: EZE PRODUCTS, INC. Address:603 HIGH TECH CT Box:5744 City:GREENVILLE State:SC ZIP:29606 Country:US Info Phone Num:803-879-7100 Emergency Phone Num:803-242-1002 OR 803-879-7100 CAGE:8Z357 === Contractor Identification === Company Name: EZE PRODUCTS, INC Address:603 HIGH TECH CT Box:5744 City:GREENVILLE State:SC ZIP:29606 Country:US Phone:803-242-1002 OR 803-879-7100 CAGE:8Z357 Ingred Name: DIPROPYLENE GLYCOL METHYL ETHER

CAS:34590-94-8 RTECS #:JM1575000 Fraction by Wt: 1-10% OSHA PEL:S,100PPM/150STEL ACGIH TLV:S,100PPM/150STEL9192

Ingred Name:MORPHOLINE CAS:110-91-8 RTECS #:QD6475000 Fraction by Wt: 0-1% OSHA PEL: S,20 PPM/30 STEL ACGIH TLV:S, 20 PPM; 9192

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT;BURNING,REDNESS OF EYES & SKIN;HEADACHE,DIZZINESS,NAUSEA. CHRONIC:IRRITATION OR BURNING. Effects of Overexposure:EYES:IRRITATES,BURNS,REDNESS; SKIN:PROLONGED CONTCT-IRRITATES/BURNS; INHAL:HEADACHE,DIZZIN,IRRITAT. Medical Cond Aggrav

ated by Exposure:NO DATA AVAILABLE.

First Aid:EYES:WASH W/LARGE AMTS. OF H*20 FOR 15-MIN. LIFTING UPPER/LOWER LIDS. GET MED. ATTN.; SKIN:WASH AFFECTED AREA W/SOAP & H*20. REMOVE & WASH CONTAMINAT. CLOTHNG/SHOES.; INHAL:REMOVE TO FRESH AIR-GIVE O* 2/CPR AS REQUIRED; INGEST:DO NOT INDUCEVOMIT.

Flash Point:NONE Extinguishing Media:WATER FOG, CARBO N DIOXIDE, CHEMICAL FOAM Fire Fighting Procedures:USE "SCBA" WHEN FIGHTING FIRE(ESPEC. CHEM.) IN CONFINED AREA Unusual Fire/Explosion Hazard:MFR. STATES: "NONE"

Spill Release Procedures:CONTAIN THE SPILL. WEAR APPROPRIATE PROTECTIVE EQUIPMENT. ELIMINATE ANY IGNITION SOURCE. ABSORB SMALL SPILLS W/SAND, DIRT, OR CLAY. LARGE SPILLS MAY BE PUMPED INTO CONTAINERS FOR RECOVERY OR DISPOSAL.

====== Han dling and Storage ======== Han

Handling and Storage Precautions:WEAR EYE PROTECTION. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. STORE DRUMS IN A COOL PLACE, BUNG UP & CLOSED TIGHTLY.
Other Precautions:HAVE EYE WASH STATION, SAFETY SHOWER & WASHING FACILITIES AVAILABLE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQD.IF MIST PRESENT,USE NIOSH APPRVD.DUST/MIST MASK Ventilation:NORMAL ROOM VENTILATION. Prot ective Gloves:RUBBER/NEOPRENE Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:AS REQUIRED TO PREVENT SKIN CONTACT.WASH HANDS W/SOAP & H*2O Supplemental Safety and Health MSDS DATE:5/1/86; TYPE II OF SPEC.; //LAB PHONE:404-482-1530,AFTER HRS EMERGENCY:404-934-6963; PH = 9.0;

HCC:N1 Boiling Pt:B.P. Text:212F/100C Spec Gravity:1.0 pH:9.0 Solubility in Water:COMPLETE Appearance and Odor:CLEAR AMBER LIQUID, M ILD ODOR

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING OR REDUCING AGENTS. Stability Condition to Avoid:TEMPERATURE EXTREMES(HOT/COLD) Hazardous Decomposition Products:BURNING CAN PRODUCE OXIDES OF CARBON. Conditions to Avoid Polymerization:WILL NOT POLYMERIZE

Waste Disposal Methods: FIRST CONSULT FEDERAL, STATE & LOCAL REGULATIONS. CON

TAMINATED ABSORBENT MAYBE DEPOSITED IN A LANDFILL OR WASTE MAY BE INCINERATED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.