View NSN Online: https://aerobasegroup.com/nsn/6850-01-235-0872

OCTAGON PROCESS INC. -- MIL-C-85570B AM.1 TYPE II -- 6850-01-235-0872

Product ID:MIL-C-85570B AM.1 TYPE II

MSDS Date:10/29/1991

FSC:6850

NIIN:01-235-0872

MSDS Number: BGRCR === Responsible Party ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Info Phone Num:201-313-1187/FAX -1057 (CAROL)

Emergency Ph

one Num:201-313-1187/800-424-9300(CHEMTREC)

CAGE:82925

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

======= Composition/Information on Ingredients ========

Ingred Name: DIPROPYLENE GLYCOL METHYL ETHER *

CAS:34590-94-8 RTECS #:JM1575000 Fraction by Wt: 10%

OSHA PEL:S,100PPM/150STEL * ACGIH TLV:S,100PPM/150STEL9192

Ingred Name: MORPHOLINE *


CAS:110-91-8 RTECS#

:QD6475000 Other REC Limits: NONE SPECIFIED OSHA PEL:S,20 PPM/30 STEL * ACGIH TLV:S, 20 PPM; 9192 * Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE- EYES: MAY CAUSE SLIGHT TEMPORARY IRRITATION. SKIN: MAY CAUSE FLAKING & DRYNESS. CHRONIC-PROLONGED CONTACT MAY CAUSE DERMATITIS. Effects of Overexposure: MAY CAUSE SLIGHT TEM PORARY EYE IRRITATION. MAY CAUSE FLAKING & DRYNESS OF SKIN. Medical Cond Aggravated by Exposure: NONE EXPECTED. First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN: WASH WITH SOAP & WATER. EYE: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL: DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK LARGE AMOUNT OF WATER. GET IMMEDIATE MEDIAL ATTENTION. ============== Fire Fighting Measures ======================= Flash Point: NOT TO BOILING Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard: NONE EXPECTED ========= Accidental Release Measures =============== Spil AREA. DO NOT RELEASE INTO SEWER, STREAM. STOP LEAK IF POSSIBLE. ABSORB SMALL SPILLS WITH INERT MATERIAL. VACUUM LARGE SPILLS & TRANSFER TO DRUM. CLEAN SPILL AREA WITH DRY INERT MATERIAL & TRANSFER TO DRUM. Neutralizing Agent:WEAK ACID

I Release Procedures:WEAR PROPER PROTECTIVE EQUIPMENT. VENTILATE

Handling and Storage Precautions: STORAGE-STORE IN COOL, DRY PLACE AWAY FROM OXIDIZERS.KEEP CONTAINER CLOSED.

0



Appearance and Odor:PALE YELLOW LIQUID, MILD ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition t

o Avoid:FIRE, EXCESSIVE HEAT
Hazardous Decomposition Products: NONE EXPECTED

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.