View NSN Online: https://aerobasegroup.com/nsn/9150-01-253-9619

Product ID:WC 393 THRUST REVERSER FLUID

MSDS Date:01/01/1987

FSC:9150

NIIN:01-253-9619

MSDS Number: BGRKT === Responsible Party ===

Company Name: WILLIAMS MANUFACTURING COMPANY

Address:2271 ADMINISTRATION DR

City:ST LOUIS State:MO ZIP:63146 Country:US

Info Phone Num:314-423-9353

Em

ergency Phone Num:314-423-9353

CAGE:3J999

=== Contractor Identification ===

Company Name: WILLIAMS MANUFACTURING COMPANY

Address:2271 ADMINISTRATION DR

Box:City:ST LOUIS

State:MO ZIP:63146 Country:US

Phone:314-423-9353

CAGE:3J999

======= Composition/Information on Ingredients ========

Ingred Name: MOLYBDENUM DISULFIDE

CAS:1317-33-5 RTECS #:QA4697000

RTECS #:QA4697000 Fraction by Wt: 8.0%

OSHA PEL:10 MG/M3 TDUST (MO) ACGIH TLV:10 MG/M3 (MO); 8990

Ingred Name: POLYOL LUBRICANT

======= H

azards Identification ============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:SLIGHT IRRITATING TO EYES & SKIN;MAY ALSO IRRITATE RESPIRATORY TRACT IF INHALED IN FORM OF VAPORS.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE
======================================
First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.
======================================
Flash Point Method:COC Flash Point:304F/151C Extinguishing Media:FOAM,CO*2,DRY CHEMICAL Fire Fighting Procedures:NONE NOTED;USE SCBA IN AN ENCLOSED AREA IN FIRES. Unusual Fire/Explosion Hazard:NONE NOTED
======== Accidental Release Measures ==========
Spill Release Procedures:USE PROPER PERSONAL PROTECTION ;USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT,OPEN FLAME.MATERIAL FREEZABLE BELOW -50F. Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT BREATHE VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.
====== Exposure Controls/Personal Protection ========
Ventilation:MECH(GEN)OR LOCAL EXHA

HCC:V6
Boiling Pt:B.P. Text:DECOM