

MAGNAFLUX CORPORATION -- ZL-30B ZYGLO PENETRANT -- 6850-01-263-8225

=====
Product Identification
=====

Product ID:ZL-30B ZYGLO PENETRANT
MSDS Date:11/19/1986
FSC:6850
NIIN:01-263-8225
Kit Part:Y
MSDS Number: BGRPW
=== Responsible Party ===
Company Name:MAGNAFLUX CORPORATION
Address:7300 W.LAWRENCE AVENUE
City:CHICAGO
State:IL
ZIP:60656-3504
Country:US
Info Phone Num:312-867-8000
Emergency Phone Num:312-867-8000
Preparer's Name:BRUCE C. GRAHAM
CAGE:37676
=== Contractor Identification ===
Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV
Address:3624 WEST LAKE AVENUE
Box:City:GLENVIEW
State:IL
ZIP:60025
Country:US
Phone:847-657-5300/
CAGE:37676

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL(PETROLEUM),CLAY TREATED (MINERAL OIL-CLAY TREATED)
CAS:64742-50-3
Fraction by Wt: 10.0%

Ingred Name:KEROSENE
CAS:8008-20-6
RTECS #:OA5500000
Fr

action by Wt: 05.0%
ACGIH TLV:100MG/CUM

Ingred Name:DISTILATES(PETROLEUM),CATALYTIC REFORMER FRACTIONATER
RESIDUE,LOW BOILING
CAS:68477-31-6
Fraction by Wt: 30.0%
OSHA PEL:5MG/CUM FOR OIL MIST
ACGIH TLV:5MG/CUM FOR OIL MIST

Ingred Name:UNIDENTIFIED COMPONENTS
Fraction by Wt: 55.0%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:IRRITATES EYES.
Effects of Overexposure:INHALATION:CAU
SES DIZZINESS,DROWSINESS,NAUSEA;
SKIN:LIQUID IRRITATES BY DISSOLVING SKIN OIL; EYES:VAPORS/LIQUID
CAUSES IRRITATION.
Medical Cond Aggravated by Exposure:NOT KNOWN.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT,GIVE
OXYGEN; SKIN:REMOVE CONTAMINATED CLOTHES.WASH OFF WITH FLOWING
WATER.USE SOOTHING LOTION.IF IRRITATION PERSISTS,GET MEDICAL ATTN;
EYES:IMM EDIATELY RINSE/FLUSH WITH COPIOUS
AMOUNT OF RUNNING
WATER,AND GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:>200F/>93C
Extinguishing Media:CARBON DIOXIDE,FOAM.
Fire Fighting Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY CAUSE
TOXIC GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOV

E IGNITION SOURCES.SM QTY:WIPE UP OR MOP
UP BUT DO NOT BREATHE VAPORS.PLACE RAGS IN CLOSED DRUMS; LG
QTY:WEAR PERSONAL SAFETY EQUIPMENTS.DIKE AREA FAR AHEAD.ABSORB
LIQUID WITH COMMERCIAL ABSORBENT.T.TRANSFER WASTE MATL IN SALVAGE
TANKS.

==== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL
VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP
CONTAINERS TIGHTLY CLOSED.

Other Pr

cautions:DO NOT BREATHE VAPORS.DO NOT SMOKE WHILE USING.DO NOT
HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR RESPIRATOR WITH CHEMICAL CARTRIDGE IF USING
IN POORLY VENTILATED AREA.AVOID BREATHING VAPOR OR SPRAY MIST.

Ventilation:GENERAL VENTILATION TO KEEP BELOW LIMITS OF TLV.

Protective Gloves:NITRILE GLOVES IF USING FREQUENTLY.

Eye Protection:FULL GOGGLES WHEN SPRAYING OR
POURING.

Other Protective Equipment:USE IN SPRAY BOOTH OR WHERE VENTILATION IS
ADEQUATE TO CARRY VAPORS & OVERSPRAY FROM OCCUPIED AREAS.

Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.WASH
THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

ITEM IS A 2 PARTS SET;UNDER QPL-25135-15 OF MIL-I-25135D,THE KIT OF
TYPE I,METHOD B,LEVEL 4 MAY CONSIST OF ZL-30B,ZL-37,OR ZL-38
PENETRANT AND ZE-3 OR ZE-4B EMULSIFIER;SEE PNI D & E FOR EMULSIFIER
DAT A;KEY1:N1;THI

S ENTRY DESCRIBES ZL-30B;SEE PNI B & C FOR OTHER
QUALIFIED PENETRANTS FOR THIS NSN.

==== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:410F/210C

Vapor Pres:1.0

Spec Gravity:0.96

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREEN OILY LIQUID.

Percent Volatiles by Volume:5%

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:HEAT,HIGH TEMPE

RATURES.

Hazardous Decomposition Products:EMITS OXIDES OF CARBON AND NITROGEN ON COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.