View NSN Online: https://aerobasegroup.com/nsn/6260-01-265-0612

AMERICAN CYANAMID,CO.,CHEMICAL LIGHT DEPT -- CYALUME LIGHT STICK -- 6260-01-265-0612

Product ID:CYALUME LIGHT STICK MSDS Date:06/15/1988 FSC:6260 NIIN:01-265-0612 MSDS Number: BGRWJ === Responsible Party === Company Name: AMERICAN CYANAMID, CO., CHEMICAL LIGHT DEPT Address: ONE CYANAMID PLAZA City:WAYNE State:NJ ZIP:07470-4028 Info Phone Num:201-835-3100 **Emergency P** hone Num:201-835-3100 Preparer's Name: MARVIN A. FRIEDMAN CAGE:83289 === Contractor Identification === Company Name: AMERICAN CYANAMID CO CYTEC INDUSTRIES DIV CHEMICAL LIGHT DEP Address:5 GARRET MOUNTAIN PLZ Box:City:LITTLE FALLS State:NJ ZIP:07424 Country:US Phone:201-831-2000/201-357-3100 CAGE:83289 Ingred Name: DIBUTYL PHTHALATE (SARA III) CAS:84-74-2 RTECS #:TI0875000 Fraction by Wt: 45-92% OSHA PEL:5 MG/M3

ACGIH TLV:5

MG/M3; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:TERT-BUTYL ALCOHOL (SARA III) CAS:75-65-0 RTECS #:EO1925000 Fraction by Wt: 1-6.5% OSHA PEL:100 PPM ACGIH TLV:100PPM 9394

Ingred Name:HYDROGEN PEROXIDE CAS:7722-84-1 RTECS #:MX0899000 Fraction by Wt: 0.3-2.2% OSHA PEL:1 PPM ACGIH TLV:1 PPM

Ingred Name:DIMETHYLPHTHALATE (SARA III) CAS:131-11-3 RTECS #:TI1575000 Fraction by Wt: 0-40% OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=================

LD50 LC50 Mixture:ORAL RAT LD50 GREATER THAN 5.0 GM/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS AN ARTICLE CONSISTING OF A PLASTIC TUBE OR SHAPE,CONTAINING AN ACTIVATOR AND A GLASS AMPOULE OR LUMINESCER. PRIME HEALTH HAZARD IS FROM BROKEN GLASS IN THE UNLIKELY EVENT THE EXTERIOR PLAST IC CONTAINER IS RUPTURED. Effects of Overexposure:OVER EXPOSURE IS NOT LIKELY TO CAUSE

SIGNIFICANT ACUTE EFFECTS. PRODUCT MUST BE DAMAGED IN ORDER FOR ANY SIGNIFICANT PERSONAL CONTACT TO OCCUR. EYE:GLASS CHIPS MAY CAUSE PHYSICAL INJURY. SKIN:NO IRRIT ATION OBSERVED WITH ANIMAL TESTS,SO NO HUMAN IRRITATION EXPECTED.

Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:EYE:FLUSH WITH WATER AS PRODUCT MAY CONTAIN GLASS CHIPS. IF IRRITATI

ON PERSISTS,GET MEDICAL	ATTENTION.	SKIN:WASH WITH	I SOAP &
WATER.			

Flash Point:>200F/93C Extinguishing Media:WATER SPRAY,CARBON DIOXIDE,DRY CHEMICAL. Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. WEAR SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: ABSORB WITH INERT MATERIAL. F LUSH AREA WITH WATER.

Neutralizing Agent:NONE

Handling and Storage Precautions:NO SPECIAL HANDLING OR STORAGE SPECIFIED BY MFR.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NECESSARY UNLESS PRODUCT IS BROKEN. USE NIOSH CARTRIDGE OR SUPPLIED AIR RESPIRATOR IF TLV'S ARE EXCEEDED. Ventilation:NONE NECESSARY. Protective Gloves:NONE NECESSARY. Eye Protection:SAFETY GL ASSES. Work Hygienic Practices:USE NORMAL GOOD PERSONAL HYGIENE PRACTICE. Supplemental Safety and Health MFR ALSO SELLS PRODUCT UNDER THE FOLLOWING TRADE NAMES:LIGHT-UP,LUNKER LIGHTS,LITE-ROPE,GLOW STICK,LIGHT SHAPE,PML,MAGIC IN THE NIGHT.

HCC:N1 Spec Gravity:1.05 Solubility in Water:IMMISCIBLE Appearance and Odor:15 IN PLASTIC WAND. EMITS RED LIGHT WHEN ACTIVATED.

======= Stability and Reactivity Data ======

Stability Indicator/Materials to Avoid:YES NONE REPORTED. Stability Condition to Avoid:NONE REPORTED. Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS. HMIS:PRODUCT SHOULD QUALIFY AS ORDINARY WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of th e Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.