View NSN Online: https://aerobasegroup.com/nsn/6850-01-265-2741

MAGNAFLUX CORPORATION -- ZL-17D ZYGLO WATER WASH PENETRANT -- 6850-01-265-2741

Product ID:ZL-17D ZYGLO WATER WASH PENETRANT

MSDS Date:11/17/1986

FSC:6850

NIIN:01-265-2741

MSDS Number: BGRWP === Responsible Party ===

Company Name: MAGNAFLUX CORPORATION

Address:7300 W.LAWRENCE AVENUE

City:CHICAGO

State:IL ZIP:60656 Country:US

Info Phone Num:312-867-8000

Emergency P

hone Num:312-867-8000

Preparer's Name:BRUCE C. GRAHAM (CHMIST)

CAGE:37676

=== Contractor Identification ===

Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL ZIP:60025 Country:US

Phone:847-657-5300/

CAGE:37676

======= Composition/Information on Ingredients ========

Ingred Name: DISTILLATES, (PETROLEUM) HYDROTREATED MIDDLE

CAS:64742-46-7 RTECS #:JN9379645 Fraction by Wt: 40.0%

Ingred Name: KEROSENE

CAS:8008-20-6 RTECS #:OA55000 00

Fraction by Wt: 10.0% ACGIH TLV:100MG/CUM

=========== Hazards Identification ==============

Health Hazards Acute and Chronic: IRRITATES EYES.

Effects of Overexposure:INHALATION:CAUSES DIZZINESS,DROWSINESS,NAUSEA; SKIN:LIQUID IRRITATES BY DISSOLVING SKIN OILS; EYES:VAPORS/LIQUID CAUSES IRRITATION.

Medical Cond Aggravated by Exposure: NOT KNOWN

First Aid:INHALATION:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT, GIVE

OXYGEN; SKIN:REMOVE CONTAMINATED CLOTHES.WASH OFF WITH FLOWING WATER.USE SOOTHING LOTION.IF IRRITATION PERSISTS,GET MEDICAL ATTN; EYES:IMM EDIATELY RINSE/FLUSH WITH COPIOUS AMOUNT OF RUNNING WATER,AND GET MEDICAL ATTENTION; INGESTION: NOT NOTED BY THE MANUFACTURER.HOWEVER,GET MED ATTN IMMEDIATELY IF INGESTED.

========== Fire Fighting Measures ===============

Flash Point Method:PMCC Flash Point:>200F/>93C

Lower Limits:6.0 Upper Limits:1.0

Extinguishing Media:CARBON DIOXIDE,FOAM

Fire Fighting Procedures: KEEP CONTAINERS COOL WITH WATER SPRAY.DO NOT SPRAY WATER ON BURNING PRODUCT.

Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY EMIT TOXIC GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.

======== Accidental Release Measures ==========

Spill Release Procedures:REMOVE IGNITION SOURCES.SM QTY:WIPE UP OR MOP UP BUT DO NOT BREATHE VAPORS.PLACE RAGS IN CLOSED DRUMS; LG QTY:WEAR PERSONAL EQUIP

COMMERCIAL ABSORBENT.TRANS FER WASTE MATERIAL TO SALVAGE TANKS.
======================================
Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP CONTAINERS TIGHTLY CLOSED.
Other Precautions:DO NOT BREATHE VAPORS.DO NOT SMOKE WHILE USING.DO NOT HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.
====== ===== Exposure Controls/Personal Protection ==========
Respiratory Protection:WEAR A RESPIRATOR WITH ABSORBENT CARTRIDGE IN POORLY VENTILATED AREAS.IN CONFINED,UNVENTILATED SPACES,WEAR FULL MASK WITH AIR SUPPLY. Ventilation:GENERAL VENTILATION TO KEEP BELOW TLV LIMITS. Protective Gloves:NITRILE RUBBER GLOVES. Eye Protection:CHEMICAL SPLASH/FULL GOGGLES.
Work Hygienic Practices:WASH HANDS WITH SOAP/WATER AFTER HANDLING/USE. Supplemental Safety and Health ITEM IS ONE PART;NSN ESTABL
SHED IN 1987 WAS FOR TYPE I,METHOD C,LEVEL 2 MATERIALS;THIS ENTRY DESCRIBES ZL-17D PENETRANT WHICH IS TYPE I,METHOD C,LEVEL 2 ITEM AS SPECIFIED BY QPL-25135-15 FOR MIL-I-25 135 REV "D";SEE OTHER PNI OF THIS NSN FOR OTHER PRODUCTS OF MAGNAFLUX FOR THE SAME TYPE,METHOD & LEVEL.
========= Physical/Chemical Properties ===========
HCC:N1 Boiling Pt:B.P. Text:410F/210C Vapor Pres:0.5 @100F Vapor Density:>1.0 Spec Gravity:0.88 Solubility in Water:NEGLIGIBLE Appearan
ce and Odor:GREEN OILY LIQUID,PETROLEUM HYDROCARBON ODOR. Percent Volatiles by Volume:5.0%
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:HEAT,HIGH TEMPERATURES. Hazardous Decomposition Products:EMITS OXIDES OF CARBON WHEN BURNING.
========= Disposal Considerations =============
Waste Disposal Methods:INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE D00

MENTS.DIKE AREA FAR AHEAD.ABSORB LIQUID WITH

1 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE,LOCAL REGULATIONS;IF LOCAL REGS PROHIBIT DUMPING RINSINGS DOWN THE SEWER,PURIFY R INSINGS WITH MAGNAFLUX WASTEWATER TREATMENT SYSTM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclai

ms all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.