View NSN Online: https://aerobasegroup.com/nsn/6850-01-269-4151

Product ID:ZL-17D ZYGLO WATER WASH PENETRANT MSDS Date:11/17/1986 FSC:6850 NIIN:01-269-4151 MSDS Number: BGSGF === Responsible Party === **Company Name: MAGNAFLUX CORPORATION** Address:7300 W.LAWRENCE AVE. City:CHICAGO State:IL ZIP:60656 Country:US Info Phone Num:312-867-8000 **Emergency Pho** ne Num:312-867-8000 Preparer's Name: BRUCE C. GRAHAM (CHMIST) CAGE:37676 === Contractor Identification === Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV Address:3624 WEST LAKE AVENUE Box:City:GLENVIEW State:IL ZIP:60025 Country:US Phone:847-657-5300/ CAGE:37676

Ingred Name:DISTILLATES,(PETROLEUM)HYDROTREATED MIDDLE CAS:64742-46-7 RTECS #:JN9379645 Fraction by Wt: 40.0%

Ingred Name:KEROSENE CAS:8008-20-6 RTECS #:OA5500000 Fraction by Wt: 10.0% ACGIH TLV:100MG/CUM

======================================
Health Hazards Acute and Chronic:IRRITATES EYES. Effects of Overexposure:INHALATION:CAUSES DIZZINESS,DROWSINESS,NAUSEA; SKIN:LIQUID IRRITATES BY DISSOLVING SKIN OIL; EYES:VAPORS/LIQUID CAUSES IRRITATION.
Medical Cond Aggravated by Exposure:NOT KNOWN
======================================
First Aid:INHALATION:REMOVE TO FRESH AIR.IF BREATHING IS DIFFICULT,GIVE
OXYGEN; SKIN:REMOVE CONTAMINATED CLOTHES.WASH OFF WITH FLOWING WATER.USE SOOTHING LOTION.IF IRRITATION PERSISTS,GET MEDICAL ATTN; EYES:IMM EDIATELY RINSE/FLUSH WITH COPIOUS AMOUNT OF RUNNING WATER,AND GET MEDICAL ATTENTION; INGESTION: NOT NOTED BY THE MANUFACTURER.HOWEVER,GET MED ATTN IMMEDIATELY IF INGESTED.
======================================
Flash Point Method:PMCC Flash Point:>200F/>93C Lower Limits:6.0 Upper Limits:1.0 Ex
tinguishing Media:CARBON DIOXIDE,FOAM Fire Fighting Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY.DO NOT SPRAY WATER ON BURNING PRODUCT. Unusual Fire/Explosion Hazard:WHEN INVOLVE IN COMBUSTION,MAY EMIT TOXIC GASES AT OR ABOVE DECOMPOSITION TEMPERATURE.
======================================

Spill Release Procedures:REMOVE IGNITION SOURCES.SM QTY:WIPE UP OR MOP UP BUT DO NOT BREATHE VAPORS.PLACE RAGS IN CLOSED DRUMS; LG QTY:WEAR PERSONAL SAFETY E

QUIPMENTS.DIKE AREA FAR AHEAD.ABSORB LIQUID WITH COMMERCIAL ABSORBEN T.TRANSFER WASTE MATERIAL TO SALVAGE TANKS.
======================================
Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES IN WELL VENTILATED AREA.AVOID AGAINST PHYSICAL DAMAGE TO CONTAINERS.KEEP CONTAINERS TIGHTLY CLOSED. Other Precautions:DO NOT BREATHE VAPORS.DO NOT SMOKE WHILE USING.DO NOT
HEAT ABOVE 130F(54C).AVOID FREQUENT OR PROLONGED SKIN CONTACT.
======================================
Respiratory Protection:WEAR A RESPIRATOR WITH ABSORBENT CARTRIDGE IN POORLY VENTILATED AREAS.IN CONFINED,UNVENTILATED SPACES,WEAR FULL MASK WITH AIR SUPPLY.
Ventilation:GENERAL VENTILATION TO KEEP BELOW TLV LIMITS. Protective Gloves:NITRILE RUBBER GLOVES
Eye Protection:CHEMICAL SPLASH/FULL GOGGLES Work Hygienic Practices:WASH HANDS WITH SOAP/WATER AFTER HANDLING/USE. Supplemental Safety and Health ITEM IS ONE PART;NSN
ESTABLISHED IN 1987 WAS FOR TYPE I,METHOD C,LEVEL 2 MATERIALS;THIS ENTRY DESCRIBES ZL-17D PENETRANT WHICH IS TYPE I,METHOD C,LEVEL 2 ITEM AS SPECIFIED BY QPL-25135-15 FOR MIL-I-25 135,REV "D";SEE OTHER PNI OF THIS NSN FOR OTHER PRODUCTS OF MAGNAFLUX FOR THE SAME TYPE,METHOD & LEVEL.
======================================
HCC:N1 Boiling Pt:B.P. Text:410F/210C Vapor Pres:0.5 @100F Vapor Density:>1.0 Spec Gravity:0.88 Solubility in Water:NEGLIGIBLE Ap pearance and Odor:GREEN OILY LIQUID,PETROLEUM HYDROCARBON ODOR. Percent Volatiles by Volume:5.0%
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HEAT,HIGH TEMPERATURES. Hazardous Decomposition Products:EMITS OXIDES OF CARBON WHEN BURNING
======================================
Waste Disposal Methods: INCINERATE OR DISPOSE OF AS EPA HAZARDOUS WASTE

D001 (IGNITABLE WASTE),IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE,LOCAL REGULATIONS;IF LOCAL REGS PROHIBIT DUMPING RINSINGS DOWN THE SEWER,PURIFY R INSINGS WITH MAGNAFLUX WATEWATER TREATMENT SYSTM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disc

laims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.