View NSN Online: https://aerobasegroup.com/nsn/9150-01-272-4689

CASTROL INC.BRAY PRODUCTS DIV -- BRAYCO MICRONIC 782-2 -- 9150-01-272-4689

======== Product Identification ============

Product ID:BRAYCO MICRONIC 782-2

MSDS Date:12/30/1987

FSC:9150

NIIN:01-272-4689

MSDS Number: BGSHP === Responsible Party ===

Company Name: CASTROL INC.BRAY PRODUCTS DIV

Address:16715 VON KARMAN AVE, SUITE 230

City:IRVINE State:CA ZIP:92714 Country:US

Info Phone Num:714-660-9414

Emergency Ph

one Num:714-660-9414

CAGE:NO344

=== Contractor Identification ===

Company Name: CASTROL INC. BRAY PRODUCTS DIV

Address:16715 VON KARMAN AVE, SUITE 230

City:IRVINE State:CA ZIP:92714 Country:US

Phone:714-660-9414

CAGE:NO344

Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS

DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280 Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

====== Composition/Information on Ingredients =======

Ingred Name:LUBRICATING OIL Other REC Limits:5MG/CUM,AS OIL MIST
=========== Hazards Identification ============
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:SLIGHT IRRITATION TO SKIN AND EYES. CHRONIC:IRRITATION OR DERMATITIS. Effects of Overexposure:MAY CAUSE SLIGHT IRRITATION TO SKIN AND EYES;DERMATITIS ON PROLONGED CONTACT. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.
======================================
First Aid:INHALATION:REMOVE TO FRESH AIR. EYES:FLUSH EYES WITH PLENTY OF WATER,CALL MEDICAL HELP IF NEEDED. SKIN:WASH WITH SOAP AND WATER. INGESTION:DO NOT INDUCE VOMITING,CALL A PHYSICIAN.
=========== Fire Fighting Measures ===========
Flash Point Method:COC Flash Point:400F/204C Extinguishing Media:DRY CHEMICAL,CO*2,FOAM,WATERFOG
Fire Fight ing Procedures:USE WATER AS FOG OR SPRAY TO COOL FIRE-EXPOSED CONTNRS. USE SLF-CONTND BREATH APPARATUS IN CONFINED AREA Unusual Fire/Explosion Hazard:NONE NOTED;USE REASONABLE CARE.
========= Accidental Release Measures ==========
Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP OR ABSORB WITH INERT MATERIAL AND RECOVER FOR PROPER DISPOSAL.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN C

OOL,DRY AND WELL VENTILATED AREA;KEEP AWAY FROM HEAT,OPEN FLAME OR SOURCES OF IGNITION.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:IF NEEDED,CHEM CARTRIDGE RESPIRATOR OR SUPPLIED AIR RESPIR EQUIPMENT.

Ventilation: LOCAL/GENERAL TO MAINTAIN ADEQUATE VENTILATION.

Protective Gloves:OIL RESISTANT GLOVES

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: APRON; FULL SKIN & EYES PROTECTION

Work Hygienic Practices: AVOID CONTACT WITH SKIN A

ND EYES;WASH

THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

======== Physical/Chemical Properties ===========

HCC:V6

Boiling Pt:B.P. Text:>500F/260C

Spec Gravity:0.877

Evaporation Rate & Department Reference: