

BG SERVICE CO.,INC. -- MICA LUBRICANT ANTI-SEIZE. -- 8030-00-009-8246

=====
Product Identification
=====

Product ID:MICA LUBRICANT ANTI-SEIZE.

MSDS Date:01/01/1987

FSC:8030

NIIN:00-009-8246

MSDS Number: BGSNZ

=== Responsible Party ===

Company Name:BG SERVICE CO.,INC.

Address:1400 ALABAMA AVE.

Box:2259

City:WEAT PALM BEACH

State:FL

ZIP:33402

Emergency Phone Num:407-659-1471

CAGE:JO807

=== Contract

or Identification ===

Company Name:BG SERVICE CO INC

Address:1400 ALABAMA AVE

Box:2259

City:WEST PALM BEACH

State:FL

ZIP:33402

Country:US

Phone:407-659-1471

CAGE:05045

Company Name:BG SERVICE CO.,INC.

Address:1400 ALABAMA AVE.

Box:2259

City:WEAT PALM BEACH

State:FL

ZIP:33402

CAGE:JO807

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL

OSHA PEL:5 MG/CUM (MIST)

ACGIH TLV:5 MG/CUM (MIST)

Ingred Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA)

CAS:12001-2

6-2
RTECS #:VV8760000
OSHA PEL:20 MPPCF
ACGIH TLV:3 MG/M3 RDUST; 9293

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACCORDING TO MFG,THIS PRODUCT IS NOT
EXPECTED TO CAUSE PROBLEM.
Effects of Overexposure:NONE STATED.
Medical Cond Aggravated by Exposure:NONE STATED.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH WITH WATER; SKIN:WASH WITH SOAP & WATER; INHALATION
OR INGESTION: WHEN CAUSING DISCOMFORT,SEEK MEDICAL ASSISTANCE.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:>590F/310C
Lower Limits:0.6
Upper Limits:>
Extinguishing Media:CO*2,FOAM,DRY CHEMICAL,WATER FOG.
Fire Fighting Procedures:NONE STATED.
Unusual Fire/Explosion Hazard:NONE STATED.

=====
Accidental Release Measures
=====

S
pill Release Procedures:SCRAPE UP. REMOVE RESIDUE WITH SOAP OR
CLEANING SOLVENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:NONE SPECIAL.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:ONE USUALLY.
Ventilation:NORMAL VENTILATION
Protective Gloves:RUBBER GLOVES.
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE.
Supplemental Safety and Health

=====
Physical/Chem

ical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>600F/316C

Vapor Pres:NIL

Spec Gravity:0.9

pH:7

Solubility in Water:NEGLIGIBLE.

Appearance and Odor:DARK BROWN THICK LIQUID,WITH MILD OILY ODOR.

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:EXTREME HEAT.

Hazardous Decomposition Products:MAY HAVE CARBON MONOXIDE.

=====

= Disposal Considerations =====

Waste Disposal Methods:SEND LICENSED RECLAIMER OF APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.