

MET-L-CHEK COMPANY -- FP-98A PENETRANT -- 6850-01-263-8430

=====  
Product Identification  
=====

Product ID:FP-98A PENETRANT

MSDS Date:06/28/1989

FSC:6850

NIIN:01-263-8430

MSDS Number: BGSVL

=== Responsible Party ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

City:SANTA MONICA

State:CA

ZIP:90404-3770

Country:US

Info Phone Num:213-450-1111

Emergency Phone Num:213-450-1111

CAGE:98733

=== C

Contractor Identification ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

CAGE:98733

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LINEAR ALCOHOL

CAS:68131-40-8

RTECS #:WZ5200000

Ingred Name:ETHOXYLATED NONYLPHEONOL

CAS:9016-45-9

Fraction by Wt: 350F,>177C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:ALCOHOL FOAM OR WATER FOG OR CARBON

DIOXIDE OR DRY  
CHEMICAL

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND  
FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY  
TRAVEL ALONG THE GROUND AND BE IGNITED AT A DISTANCE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH VERMICULITE, FLOOR ABSORBENT OR  
OTHER ABSORBENT MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

==

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.

Ventilation:LOCAL EXHAUST TO REDUCE VAPORS AND MECHANICAL (GENERAL)  
VENTIATION TO REDUCE VAPORS.

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Pr

otective Equipment:CHEMICAL RESISTANT APRON, EMERGENCY EYEWASH  
STATION AND SHOWER.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:77.0F,25.0C

Vapor Pres:< 1

Vapor Density:> 1

Spec Gravity:1

Evaporation Rate & Reference:0.01

(BUTYL ACETATE=1)

Solubility in Water:MISCIBLE

Appearance and Odor:GREEN, SYRUPY LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.