

MET-L-CHEK COMPANY -- E-57 EMULSIFIER -- 6850-01-268-8788

===== Product Identification =====

Product ID:E-57 EMULSIFIER

MSDS Date:01/01/1997

FSC:6850

NIIN:01-268-8788

Kit Part:Y

MSDS Number: BGTLJ

=== Responsible Party ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID STREET

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Info Phone Num:310-450-1111

Emergency Phone Num:310-450-1111/800-424-9300(CHEMTREC)

CAGE:98733

=== Contractor Identification ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

CAGE:98733

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBON/MINERAL OIL, PETROLEUM DISTILLATE,  
SOLVENT REFINED (SEVERE), HEAVY NAPHTHENIC

CAS:64741-96-4

RTECS #:PY8040001

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIS

T  
ACGIH TLV:5 MG/M3 AS OIL MIST

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, RESPIRATORY  
& GI TRACTS. ACUTE- EYE CONTACT IS NON-IRRITATING. MAY CAUSE SLIGHT  
SKIN IRRITATION. VAPORS OR OIL MISTS MAY CAUSE RESPIRATORY TRACT  
IRRITATION. INGESTION MAY  
RESULT IN VOMITING. ASPIRATION HAZARD.  
CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, NAUSEA, VOMITING  
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY  
DISORDERS MAY BE AGGAVATED BY EXPOSURE TO THIS PRODUCT.

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: MOVE TO FRESH  
AIR. PROVIDE OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15  
MINUTE  
S, HOLDING EYELIDS OPEN. SKIN: FLUSH WITH WATER & WASH SKIN  
WITH SOAP & WATER. ORAL: DO NOT INDUCE VOMITING. SEEK MEDICAL  
ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT  
ASPIRATION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC  
Flash Point:>200F,>93C  
Extinguishing Media:WATER FOG, DRY CHEMICAL/CARBON DIOXIDE. DON'T USE  
DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED.  
Fire Fighting Procedures:IN CONFI  
NED AREA, DO NOT ENTER WITHOUT A FULL  
BUNKER GEAR INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-  
CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA.  
STOP LEAK IF POSSIBLE. USE PUMP TO TRANSFER LARGE SPILLS TO  
CONTAINER. REMAINING LIQUID/SMALL SPILLS CAN BE TAKEN UP ON SAND,  
CLAY, EARTH & SHOVELD INTO CONTAINERS. PREVENT R

UN-OFF TO ENTER  
WATERWAYS, SEWERS  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, IGNITION SOURCES.  
STORE IN COOL & VENTILATED LOCATION. DO NOT STORE NEAR OXIDIZING  
MATERIAL. AVOID PHYSICAL DAMAGE.

Other Precautions:AVOID BREATHING MISTS. DO NOT GET IN EYES, ON SKIN OR  
ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR  
DRINKING. REMOVE CONTAMINATED CLOTHIN  
G PROMPTLY. LAUNDER BEFORE  
REUSE. KEEP OUT O F REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED. IF WORKING IN CONFINED  
AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES  
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS, WEAR NIOSH-APPROVED  
ORGANIC VAPOR AND MI ST RESPIRATOR (REFER TO 29 CFR 1910.134)

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV  
REQUIREMENTS.

Protective Gloves:NITRILE RECOMMENDED

Eye Protection:GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH FOUNTAINS, SAFETY SHOWER AND  
CLOTHING TO MINIMIZE SKIN CONTACT

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

KEY1:V6. THIS PRODUCT IS A KIT CONSISTING OF PENETRANT AND EMULSIFIER.  
FOR PENETRANT, SEE PNI A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:V6

NRC/St

ate Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:400F,204C

Spec Gravity:ABOUT 0.92

Solubility in Water:EMULSIFY

Appearance and Odor:PINK OILY LIQUID - SLIGHT HYDROCARBON ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL

Stability Condition to Avoid:HEAT, IGNITION SOURCES.

Hazardous Decomposition Products:CARBON MONOXIDE AND OTHER UNIDENTIFIED  
ORGANIC COMPOUNDS.

===== Disposal Considerations

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATION RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.