

COURTAULDS AEROSPACE INC -- PR-1440, A-2 (ALL CLASSES/TYPES) PART B -- 8030-00-007-8337

=====  
Product Identification  
=====

Product ID:PR-1440, A-2 (ALL CLASSES/TYPES) PART B

MSDS Date:06/05/1986

FSC:8030

NIIN:00-007-8337

MSDS Number: BGVHY

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone

Num:818-549-7586

Emergency Phone Num:818-549-7586

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Other REC Limits:200 PPM

OSHA PEL:200 PPM/300 STEL

ACGIH TLV

:200 PPM/300STEL 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Other REC Limits:100 PPM  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:PHENOLIC RESIN W/FORMALDEHYDE  
CAS:9003-35-4

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acu

te and Chronic:EYES/SKIN: IRRITATION. MAY CAUSE  
ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION:  
IRRITATION TO NOSE & THROAT, HEADACHE, FATIGUE, CONFUSION,  
DIZZINESS, DROWSINESS, NUMBNESS & UNCONSCIOUSNESS. PROLONGED  
EXPOSURE CAN CAUSE LIVER & KIDNEY DAMAGE. INGESTION: MAY CAUSE  
NAUSEA, VOMITING, LIVER & KIDNEY DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES/SKIN: IRRITATION. MAY CAUSE ALLERGIC SKIN  
RASH IN SENSITIZED INDIVIDUALS. INHALAT  
ION: IRRITATION TO NOSE &  
THROAT, HEADACHE, FATIGUE, CONFUSION, DIZZINESS, DROWSINESS,  
NUMBNESS & UNCONSCIOUSNESS, PROLONGED EXPOSURE CAN CAUSE LIVER &  
KIDNEY DAMAGE. INGESTION: MAY CAUSE NAUSEA & VOMITING.

Medical Cond Aggravated by Exposure:ALLERGIC SKIN RASH.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINS. IF SYMPTOMS  
PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF  
SYMPTOMS PERSIST

, CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT PHYSICIAN. INGESTION: CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:62F

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBANT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:

WHEN IN CONFINED AREAS, USE AN ORGANIC VAPOR CARTRIDGE RESPIRATOR OR AIR-SUPPLIED RESPIRATOR.

Ventilation:PROVIDE MECHANICAL VENTILATION TO KEEP