View NSN Online: https://aerobasegroup.com/nsn/8010-00-598-7669

TRIAD PAINT AND CHEMICAL CORP -- STAIN, TT-S-711C -- 8010-00-598-7669

Product ID:STAIN, TT-S-711C

MSDS Date:01/01/1987

FSC:8010

NIIN:00-598-7669

MSDS Number: BGVQX === Responsible Party ===

Company Name: TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVENUE

City:BROOKLYN

State:NY ZIP:11207 Country:US

Info Phone Num:(718) 443-2778 Emergency Phone Num:(718) 44

3-2778

CAGE:33151

=== Contractor Identification ===

Company Name: STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name: TRIAD PAINT AND CHEMICAL CORP

Address:810 EVERGREEN AVE

Box:City:BROOKLYN

State:NY


ZIP:11207-1140 Country:US CAGE:33151

======= Composition/Information on Ingredients ========

Ingred Name:PIGMENT Fraction by Wt: 6.6%

Ingred Name: VEHICLE Fraction by Wt: 93.4%

Ingred Name: MINERAL SPIR



First Aid:INHALATION: PROVIDE FRESH AIR AND REST. SKIN CONTACT: WASH WITH MILD SOAP AND WATER. USE EMOLLIENT CREAM OR LOTION. EYE CONTACT: WASH WITH GENTLE STREAM OF WATER FOR 10 MINUTES. SEE A DOCTOR.

========== Fire Fighting Measures ===============

Flash Point Method:PMCC Flash Point:105F/41C Lower Limits:1.0 Upper Limits:6.0 Extinguishing Media:FOAM

Extinguishing Media: FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedur

es:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED RESPIRATORS. WATER STREAM WILL SPREAD OIL FIRES.

Unusual Fire/Explosion Hazard: KEEP WORK AREAS FREE OF HOT METAL SURFACES AND OTHER SOURCES OF IGNITION. VAPOR FORMS EXPLOSIVE MIXTURE BETWEEN UPPER AND LOWER EXPLOSIVE UNITS.

========= Accidental Release Measures ============

Spill Release Procedures:AVOID FLAME AND SPARK SOURCES. PROVIDE ADEQUATE VENTILATION. WIPE UP SPILL WITH INERT ABSORBENTS AND NON SPARKING TOO

PROLONGED BREATHING OF VAPORS WHILE CLEANING UP SPILL.
========== Handling and Storage ===========
Handling and Storage Precautions:AVOID OPEN FLAMES AND SPARK SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE HEAT. Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR.
======= Exposure Controls/Personal Protection = =========
Respiratory Protection:ORGANIC CANNISTER MASK OR AIR PACK IF VENTILATION IS ADEQUATE. Protective Gloves:NEOPRENE RUBBER GLOVES. Eye Protection:CHEMICAL SAFETY GOGGLES. Other Protective Equipment:MECHANICAL: W/APPROVED CLASS D EXPLOSION PROOF MOTOR AND SWITCHES. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:315,334,382 Vapor Pres:100F 1 Vapor Density:5.0 Spec Gravity:.901 Evaporation Rate & Description Rate & De
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:CO, CO2, ACID FUMES, AND SMOKE WHEN COMBUSTED.
======== Disposal Considerations ==========
Waste Disposal Methods:DISPOSAL PROCEDURES MUST COMPLY WITH LOCAL,STATE AND

LS. SAFELY DISCARD SATURATED ABSORBENTS. AVOID

FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.