

AMERICAN CYANAMID CO, INDUST CHEM & PLATICS DIV. -- FM 37 CORE SPLICE ADHESIVE FOAM  
-- 8040-00-185-5631

===== Product Identification =====

Product ID:FM 37 CORE SPLICE ADHESIVE FOAM

MSDS Date:01/12/1984

FSC:8040

NIIN:00-185-5631

MSDS Number: BGVRP

=== Responsible Party ===

Company Name:AMERICAN CYANAMID CO, INDUST CHEM & PLATICS DIV.

Address:1300 REVOLUTION ST.

City:HAVRE DE GRACE

State:MD

ZIP:21

078

Country:US

Emergency Phone Num:201-835-3100

CAGE:07542

=== Contractor Identification ===

Company Name:AMERICAN CYANAMID CO, INDUST CHEM & PLATICS DIV.

Address:OLD POST RD

Box:City:HAVRE DE GRACE

State:MD

ZIP:21078

Country:US

Phone:201-835-3100

CAGE:07542

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE  
29CFR 1910.1101)

CAS:1332-21-4

RTECS #:CI6475000

Fraction by Wt: 10%

OSHA PEL:0.2 FIBERS/CC

ACG

IH TLV:0.5 FIBERS/CC; A1;89

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:THE TOXICOLOGICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN FULLY INVESTIGATED. ALLERGIC SKIN REACTION OR PRIMARY SKIN IRRITATION MAY BE PRODUCED BY PROLONGED OR REPEATED DERMAL CONTACT WITH EPOXY RES INS. INHALATION OF ASBESTOS MAY CAUSE LUNG FIBROSIS OR LUNG CANCER. HOWEVER, THIS IS NOT LIKELY TO BE THE CASE.

Explanation of Carcinogenicity:ASBESTOS IS LISTED BY ALL NTP, IARC & OSHA AS CARCINOGENIC.

Effects of Overexposure:OVEREXPOSURE TO VAPOR DURING HEAT-CURING MAY CAUSE IRRITATION OR INJURY OF THE RESPIRATORY TRACT AND EYE IRRITATION.

=====  
===== First Aid Measures =====

First Aid:SKIN:WASH AFFECTED AREAS OF SKIN WITH SOAP & WATER:

EYE:IRR

IGATE WITH PLENTY OF WATER FOR 15 MINUTES; INHALE:IF VAPOR OF THIS MATERIAL IS INHALED FROM EXPOSURE, ADMINISTER OXYGEN IF THERE IS DIFFICULT Y IN BREDTHING.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:CO\*2,FOAM,DRY CHEMICAL,WATER SPRAY.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE STATED.

=====  
===== Accidental Release Measures =====

Spi

Il Release Procedures:SAME PROTECTIVE CLOTHING/EQUIPMENT AS IN EXPOSURE CONTROL METHODS. SCRAPE UP SPILLS & PLACE IN A WASTE DISPOSAL CONTAINER. FLUSH AREA WITH WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:NONE STATED

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USUALLY NONE. USE NIOSH/MSHA APPROVED RESPIRATOR WHEN USED IN SPRAYING OR CURING PROCESSES.

Ventilation:USE LOCA

L EXHAUST VENTILATION.

Protective Gloves:WEAR IMPERVIOUS GLOVES WHEN NECESSARY.

Eye Protection:SAFETY GLASSES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.2

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GRAY, TACKY SHEET, NO ODOR

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Conditi

on to Avoid:NONE STATED

Hazardous Decomposition Products:MAY PRODUCE CARBON MONOXIDE, CARBON DIOXIDE, AMMONIA, OXIDES OF NITROGEN, FORMALDEHYDE & OXIDES OF SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH FEDERAL,STATE & LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in n

o manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.