

EXXON CO USA, A DIV OF EXXON CORP. -- TERESSTIC 100,376045-01180 -- 9150-01-158-2881

=====
Product Identification
=====

Product ID:TERESSTIC 100,376045-01180
MSDS Date:09/15/1993
FSC:9150
NIIN:01-158-2881
MSDS Number: BGWKD
=== Responsible Party ===
Company Name:EXXON CO USA, A DIV OF EXXON CORP.
Address:800 BELL ST
Box:2180
City:HOUSTON
State:TX
ZIP:77252-2180
Country:US
Info Phone Num:800-443-9
966/713-656-5949 (MSDS)
Emergency Phone Num:713-656-3424/800-424-9300(CHEMTREC)
CAGE:29700
=== Contractor Identification ===
Company Name:EXXON COMPANY U.S.A.
Box:2180
City:HOUSTON
State:TX
ZIP:77252-2180
Country:US
Phone:713-656-5949 / 713-656-3424
CAGE:29700

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL,HYDROTREATED (SEVERE), PETROLEUM DISTILLATE,
HEAVY PARAFFINIC
CAS:64742-54-7
RTECS #:PY8035501
Fraction by Wt: 0 - >99%
Other REC Limits:NON

E RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DDEWAXED
(SEVERE), HEAVY PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038501
Fraction by Wt: 0 - >99%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:PROPRIETARY ADDITIVES
Fraction by Wt: 5,000 MG/KG.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health H

azards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY
TRACT. ACUTE- MAY CAUSE EYE IRRITATION. PROLONGED/REPEATED SKIN
CONTACT MAY CAUSE IRRITATION & DERMATITIS. INJECTION UNDER SKIN
CAUSES LOCAL NECROSIS. INHALATION O F VAPORS/OIL MIST MAY CAUSE
MILD IRRITATION. SLIGHTLY TOXIC IF INGESTED. ASPIRATION HAZARD.
CHRONIC- DERMATITIS.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION
Medical Cond Aggravated by Exposure:NONE RECOGNIZED.

=====
===== First Aid Measures =====

First Aid:CALL A DOCTOR IF SYMPTOMS OCCUR. EYE:FLUSH WITH WATER. HOLD
EYELIDS OPEN. SKIN:WIPE EXCESS OFF. WASH SKIN WITH SOAP & WATER OR
A WATERLESS HAND CLEANER FOLLOWED BY SOAP & WATER. IF MATERIAL IS
INJECTE D UNDER SKIN, GET MEDICAL ATTENTION PROMPTLY. DO NOT WAIT
FOR SYMPTOMS TO DEVELOP. INHALED:REMOVE TO FRESH AIR. PROVIDE
CPR/OXYGEN IF NEEDED. ORAL:DO NOT INDUCE VOMITING. GET MEDICAL
ADVICE.

=====

== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:471F,244C MIN

Autoignition Temp:Autoignition Temp Text:500F

Lower Limits:0.9%

Upper Limits:7%

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM/DRY CHEMICAL.

DO NOT USE A DIRECT STREAM OF WATER. PRODUCT MAY FLOAT & REIGNITE.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unu

sual Fire/Explosion Hazard:CONTAINER MAY BURST.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. STOP LEAK. DIKE AND CONTAIN. USE PUMP TO TRANSFER LARGE SPILLS TO CONTAINER. REMAINING LIQUID/SMALL SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVELD INTO CONTAINERS. PR EVENT RUN-OFF TO ENTER WATERWAYS, SEWERS.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM HEAT, FLAME & SPARKS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER OR DRILL. KEEP OUT OF REACH OF CHILDREN. AVOID BREATHING VAPORS. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF EXPOSURE MAY OR DOES

EXCEED OCCUPATIONAL EXPOSURE LIMITS OR IN CONFINED AREAS, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR SUPPLIED-AIR RESPIRATORY PROTECTION.

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILE FOR PROLONGED/REPEATED CONTACT

Eye Protection:SPLASH GOGGLES WHEN CONTACT MAY OCCUR.

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS RE

QUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text: 555F,291C

Melt/Freeze Pt:M.P/F.P Text:POUR: 0F

Vapor Pres:5

Spec Gravity:0.89

Viscosity:105 CST @104F

Evaporation Rate & Reference: