

AMERICAN OIL AND SUPPLY CO -- KS 7470;PRODUCT CODE:52002 -- 9150-00-448-5009
===== Product Identification =====

Product ID:KS 7470;PRODUCT CODE:52002
MSDS Date:09/02/1989
FSC:9150
NIIN:00-448-5009
MSDS Number: BGWKX
=== Responsible Party ===
Company Name:AMERICAN OIL AND SUPPLY CO
Address:238 WILSON AVE
City:NEWARK
State:NJ
ZIP:07105-3824
Country:US
Info Phone Num:201-589-0250
Emergency Phone Num
:201-589-0250
Preparer's Name:LAB MANAGER
CAGE:92895
=== Contractor Identification ===
Company Name:AMERICAN OIL AND SUPPLY CO
Address:239 WILSON AVE
City:NEWARK
State:NJ
ZIP:07105-3824
Country:US
Phone:201-589-0250
CAGE:92895
Company Name:WESTERN ELECTRIC GOVERNMENT SERVICE CO.
Box:20046
CAGE:0CSJ1

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC
CAS:64742-54-7
RTECS #:PY8035500
Fraction by Wt: 97-99%
Other REC Limits:

5MG/CUM
OSHA PEL:300 PPM
ACGIH TLV:300 PPM

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL
CAS:128-37-0
RTECS #:GO7875000
Fraction by Wt: 0-1%
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3; 9192

Ingred Name:METHACRYLIC ACID,COPOLYMER OF LAURYL AND STEARYL ESTERS
Fraction by Wt: 0-1%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRE-EXISTING CONDIT
IONS MAY BE WORSEN
Explanation of Carcinogenicity:NO DATA PER MSDS
Effects of Overexposure:INHALE: NASAL IRRITATION, DIZZINESS, WEAKNESS,
NAUSEA, HEADACHE, POSSIBLE UNCONCIOUSNESS; EYE/SKIN CONTACT:
IRRITATION; INGEST: NAUSEA, VOMITING, DIARRHEA, GASTROINTESTINAL
IRRITATION.

=====
===== First Aid Measures =====

First Aid:INHALE: REMOVE FROM FRESH AIR, IF BREATHING IS DIFFICULT,
ADMINISTER OXYGEN, IF BREATHING HAS STOPPED, APPLY ARTIFICIAL
RES
PIRATION; EYE/SKIN: FLUSH WITH PLENTY OF WATER; INGEST: CONTACT
A PHYSICIAN F OR DIRECTION, NEVER GIVE ANYTHING BY MOUTH TO AN
UNCONCIOUS PERSON.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:400F,204C
Lower Limits:1.0
Upper Limits:6.0
Extinguishing Media:CO*2,FOAM,DRY CHEMICAL,WATER SPRAY.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:DO NOT USE DIRECT

STREAM OF WATER
MATERIAL MAY FLOAT & REIGNITE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL AREA. COLLECT ABSORBENT. KEEP PRODUCT OUT OF WATERWAYS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE USUALLY REQUIRED.

Ventilation:NORMAL ROOM VENTILATION

Protective Gloves:IMPERVIOUS

E

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PROTECTIVE CLOTHING,EYE WASH-FACILITIES,APRON AND BOOTS.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>400F,>204C

Vapor Pres:0.001

Vapor Density:13

Spec Gravity:0.88

Evaporation Rate & Reference: