View NSN Online: https://aerobasegroup.com/nsn/8030-00-229-8740

Product ID:LIQUID HARDENER 0203 PART-C

MSDS Date:06/10/1988

FSC:8030

NIIN:00-229-8740

Kit Part:Y

MSDS Number: BGWLW
=== Responsible Party ===
Company Name: DEVCON CO

Company Name: DEVCON CORP Address: 30 ENDICOTT STREET

City:DANVERS

State:MA

ZIP:01923-3753

Emergency Phone Num:508-777-1100

CAGE:16059

=== Contractor Identificat

ion ===

Company Name: DEVCON CORP

Address:30 ENDICOTT ST

Box:City:DANVERS

State:MA

ZIP:01923-3753 Country:US

Phone:1-508-777-1100

CAGE:16059

======= Composition/Information on Ingredients ========

Ingred Name: DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000 Fraction by Wt: 60%

Ingred Name:PIPERAZINE, 1-(2-AMINOETHYL)-; (AMINOETHYLPIPERAZINE (AEP)). LD50:(ORAL,RAT) 2140 MG/KG.

CAS:140-31-8

RTECS #:TK8050000 Fraction by Wt: 1-15%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: VOLAT

LBS/GAL.
RTECS #:999999VO
======================================
L D-0 L O-0 N; / L D-0 L 000 NO (/O /D-1-) /D 10 D-1 O N D-1-)
LD50 LC50 Mixture:LD50=1080 MG/KG (RAT) (BASED ON DETA) Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MATERIAL IS SEVERE EYE IRRITANT.
CORROSIVE IRRITATING TO SKIN ON CONTACT. POSSIBLE SENSITIZATION
FROM PROLONGED OR REPEATED EXPOSURE. Effects o
f Overexposure:EYE:SEVERE IRRITATION OR BURNS;SKIN:SEVERE
IRRITATION OR BURNS; INHALE:MAY IRRITATE UPPER RESPIRATORY TRACT;
INGESTION:CAUSE BURNS OF MOUTH & THROAT, MAY CAUSE GASTROINTESTINAL
IRRITATION OR ULCERATION . Medical Cond Aggravated by Exposure: ASTHMA, BRONCHITIS.
medical conditing and a posterior in the control in
======================================
First Aid:EYE:IMMEDIATE & CONTONIOUS IRRIGATION WITH FLOWING WATER FOR
AT LEAST 30 MINUTES; SKIN:IMMEDIATELY REMOVE ANY CONTAMINATED
CLO
THING & WASH THOROUGHLY WITH SOAP & WARM WATER; INHALE:REMOVE TO FRESH AIR ,CONTACT A PHYSICIAN IF SYMPTOMS PERSIST;
INGEST:CORROSIVE,DO NOT INDUCE VOMITING,GIVE LARGE AMOUNTS OF WATER
OR MILK & TRANSPORT TO A MEDICAL FACILITY.
======================================
======================================
Flash Point Method:TCC
Flash Point:250F/121C
Extinguishing Media:WATER,CO*2,DRY CHEMICAL. Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS & PROTECTI
VE CLOTHING.
Unusual Fire/Explosion Hazard:NONE STATED.
========= Accidental Release Measures ==========
Spill Release Procedures:PREVENT SKIN & EYE CONTACT.REMOVE CONTAMINATED
CLOTHING.DISCARD CONTAMINATED LEATHER ARTICLES SUCH AS SHOES &
BELTS.ABSORB SPILLAGE ON INERT MATERIAL & DISCARD IN SUITABLE CONTAINERS.
======================================
Handling and Storage Precautions:PROLONGED OR REPEATED OVEREXPOSURE MAY
CAUSE S

====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NECESSARY IN NORMAL USE WITH PROPER VENTILATION; IN POORLY VENTILATED AREAS,USE NIOSH-APPROVED ORGANIC VAPOR MASKS.
Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR PROLONGED OR REPEATED USE. MECHANICAL VENTILATION IS ADEQUATE FOR OCCUPATIONAL USE. Protective Gloves:RUBBER GLOVES.
Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS. Su
pplemental Safety and Health USE WITH PART-A.
========= Physical/Chemical Properties ==========
HCC:C2 Boiling Pt:B.P. Text:>450F/232C Vapor Pres:1 Spec Gravity:0.98 pH:10-11 Evaporation Rate & Description Rate & Descriptio

ENSITIZATION & ALLERGIC RESPONSES.STORE IN A COOL, DRY PLACE.