View NSN Online: https://aerobasegroup.com/nsn/6850-00-935-9795

Product ID:PROTEK-SORB MSDS Date:01/01/1989 FSC:6850 NIIN:00-935-9795 **MSDS Number: BGXBY** === Responsible Party === Company Name: W R GRACE & CO. DAVISON CHEMICAL DIVISION Address:10 E BALTIMORE STREET Box:2117 City:BALTIMORE State:MD ZIP:21202-1630 Country:US Info Phone Num:301-659-9000 Emergency Phone Num:301-659-9000 Preparer's Name: J.H. CONVEY (MANAGER) CAGE:16210 === Contractor Identification === Company Name: W R GRACE & CO. DAVISON CHEMICAL DIVISION Address:10 E BALTIMORE STREET Box:2117 City:BALTIMORE State:MD ZIP:21202-1630 Country:US Phone:410-659-9000 CAGE:16210

Ingred Name:SILICA GEL CAS:63231-67-4 RTECS #:VV7322000 Fraction by Wt: 99.7% OSHA PEL:80 MG/M3 / % SIO2 ACGIH TLV:10 MG/M3

================

LD50 LC50 Mixture:ORAL LD50 (RAT) IS EST. >31,600 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYE, SKIN & RESPIRATORY TRACT IRRITATION. CHRONIC: THE DRYING ACTION OF THIS MATERIAL CAN CAUSE IRRITATION OF THE MUCOUS MEMBRANES OF THE NOSE AND THROAT AND

IRRITATION OF THE SKIN. AVOID PROLO NGED BREATHING OF THE DUST OR

CONTACT OF DUST WITH THE SKIN.

Explanation of Carcinogenicity: THIS PRODUCT AND ITS COMPONENTS ARE NOT LISTED ON THE IARC, NTP OR OSHA CARCINOGENS LISTS.

Effects of Overexposure: MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION.

Medical Cond Aggravated by Exposure:MANUFACTURER KNOWS OF NO MEDICAL CONDITIONS ABNORMALLY AGGRAVATED BY EXPOSURE TO SILICA GEL.

First Aid:EYES: IMMEDIATELY WASH FROM EYES WITH LARGE AMOUN TS OF WATER,

OCCASIONALLY LIFTING THE UPPER & LOWER EYE LIDS. IF IRRITATION OCCURS AND PERSISTS, SEEK MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER . INGESTION: MATERIAL WILL PASS THROUGHTHE BODY NORMALLY. INHALATION: REMOVE TO FRESH AIR.

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER

FOG AS REQUIRED BY SURROUNDING FIRE.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. Unusual Fire/Explosion Hazard:NONE. NON-FLAMMABLE

Spill Release Procedures:SWEEP OR VACUUM UP OR FLUSH TO SEWER. Neutralizing Agent:NONE REQUIRED

Handling and Storage Precautions: AVOID PROLO

NGED BREATHING OF THE DUST OR CONTACT OF DUST WITH THE SKIN. WHEN HANDLING, WEAR LONG SLEEVES AND CLOSE-WEAVE COTTON GLOVES WITH WRISTLETS. Other Precautions:WEAR GOGGLES IF DUST CAUSES EYE DISCOMFORT. WEAR A

PROPERLY FITTED NIOSH-APPROVED DUST RESPIRATOR FOR DUSTY CONDITIONS.

Respiratory Protection:WEAR A PROPERLY FITTED NIOSH/MSHA APPROVED DUST RESPIRATOR IF CONDITIONS ARE DUSTY.

Ventilation:MECHANICAL(GE

NERAL) VENTILATION IS USUALLY ADEQUATE TO

MAINTAIN DUST LEVELS BELOW TLV FOR NUISANCE DUST.

Protective Gloves: CLOSE-WEAVE COTTON WITH TIGHT WRISTLETS

Eye Protection: GOGGLES FOR DUSTY CONDITIONS

Other Protective Equipment: LONG SLEEVED WORK CLOTHING.

Work Hygienic Practices: WASH THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING OR SMOKING. VACUUM UP ANY DUST. LAUNDER CLOTHING BEFORE REUSE.

Supplemental Safety and Health

SILICA GEL IS A SYNTHETIC AMORPHOUS SILICA NOT TO BE CONFUSED WITH CRYSTALLINE SILICA. EPIDEMIOLOGICAL STUDIES INDICATE LOW POTENTIAL FOR ADVERSE HEALTH EFFECTS. SILICA GEL IS CONSIDERED TO BE A NUISA NCE DUST. IN THE ACTIVATED FORM, SILICAGEL ACTS AS A DESICCANT & CAN CAUSE A DRYING IRRITATION OF THE MUCOUS MEMBRANES.

HCC:N1 Spec Gravity:2.1 pH:3.9 * Solubility in Water:NEGLIGIBLE Appearance and Odor:SMALL INDIVIDUAL PACKETS, NO ODOR Percent Volatiles by Volume:0.0

Stability Indicator/Materials to Avoid:YES REACTS WITH HF Stability Condition to Avoid:MOISTURE Hazardous Decomposition Products:NONE

Waste Disposal Methods:DISPOSE IN AN APPROVED LANDFILL ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS. COVER PROMPTLY TO AVOID BLOWING DUST.

Disclaimer (provided with this information by the compiling agencies): This info

rmation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.