View NSN Online: https://aerobasegroup.com/nsn/8040-01-089-9073

DEXTER HYSOL AEROSPACE & INDUSTRIAL, DIV DEXTER COR -- EA 9330 PART A -- 8040-01-089-9073

============= Product Identification ==================

Product ID:EA 9330 PART A

MSDS Date:06/17/1987

FSC:8040

NIIN:01-089-9073

Kit Part:Y

MSDS Number: BGXDG === Responsible Party ===

Company Name: DEXTER HYSOL AEROSPACE & INDUSTRIAL, DIV DEXTER COR

Address:2850 WILLOW PASS RD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Info Ph

one Num:415-678-4201

Emergency Phone Num:415-678-4201

CAGE:33564

=== Contractor Identification ===

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

======= Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN SYSTEM

Ingred Name: SILICA, AMORPHOUS, DUST

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5%

OSHA PEL:15 MG/M3 TDUST

ACGIH TL

======================================
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION. MAY ALSO SENSITIZE AN INDIVIDUAL TO PRODUCE ALLERGIC REACTIONS WITH LOW EXPOSURE LEVELS. Effects of Overexposure:RESPIRATORY,G/I TRACT IRRITATION. SKIN RASH,IRRITATION. EYE:SEVERE IRRITATION. Medical Cond Aggravated by Expos ure:ALLERGIC SENSITIVITY TO EPOXY
RESINS.
======================================
First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH THOROUGHLY WITH SOAP & WATER, ALCOHOL OR HAND CLEANER. INHALED:REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OR OXYGEN AS NEEDED. INGESTED:DO NOT INDUCE VOMITI NG. GIVE LARGE QUANTITY OF MILK OR WATER. (NOTHING BY MOUTH IF UNCONSCIOUS.) GET IMMEDIATE MEDICAL ATTENTION. IF ANY IRRITATION PERSISTS OR IS SEVERE, GET PROMPT MEDICAL CARE.
======================================
Flash Point Method:TOC Flash Point:>300F/149C Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG,HALON. Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS IN CONFINED AREAS. Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASES MAY BE LIBERATED UNDER FIRE CONDITIONS.
========= Accidental Release Measures ==========
Spill Release Procedures:SCRAPE U P,PLACE IN METAL CONTAINER. WIPE UP REMAINDER WITH SOLVENTS. Neutralizing Agent:SOLVENT,ALCOHOL.
======================================
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED AREA. STORE MAX OF 12 MO. AT 70F/21C MAX. Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE EXPECTED TO BE NECESSARY. Ventilation:NORMAL ROOM VENTILATION

V:10 MG/M3 TDUST; 9293

. MFR RECOMMENDS SUPPLEMENTARY LOCAL EXHAUST. Protective Gloves: RUBBER, PLASTIC, OTHER IMPERVIOUS. Eye Protection: SAFETY GLASSES OR SPLASH GOGGLES. Other Protective Equipment: CLOTHING TO PREVENT SKIN CONTACT. Work Hygienic Practices: USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. REMOVE AND LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health KEY1:V5. PART A OF A 2 PART KIT, FOR PART B, SEE P/N IND B THIS NSN. MSDS NO AA9163 OR Z004AB. ====== ======= Physical/Chemical Properties ========== HCC:B2 Boiling Pt:B.P. Text:DECOMPOSES Vapor Pres:1 Evaporation Rate & Dr. Reference: NIL Solubility in Water:NIL Appearance and Odor:PEARLESCENT PASTE,PUNGENT ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS, MINERAL ACIDS. Hazardous Decomposition Products: CARBON OXIDES, NITROGEN OXIDES, ALDEHYDES, ORGANICS. Conditions to Avoid Polymerization: AVOID MIXING IN QUANTITIES OVER I LB. DO NOT HEAT ABOVE 75F/24C UNTIL IN PLACE FOR FINAL CURE.HEAT YIELDS TOXIC GAS. ======= Disposal Considerations ============ Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warran

ts this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.