

MET-L-CHEK COMPANY -- FP-94 PENETRANT,FLUORESCENT(SEE SUPPL DATA) --
6850-01-263-8220

===== Product Identification =====

Product ID:FP-94 PENETRANT,FLUORESCENT(SEE SUPPL DATA)

MSDS Date:10/15/1986

FSC:6850

NIIN:01-263-8220

Kit Part:Y

MSDS Number: BGXDN

=== Responsible Party ===

Company Name:MET-L-CHEK COMPANY

Address:1639 ECULID STREET

City:SANTS MONICA

State:CA

ZIP:90404-3770

Country:US

Info Pho

ne Num:213-450-1111

Emergency Phone Num:213-450-1111

CAGE:98733

=== Contractor Identification ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

CAGE:98733

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATE (PETROLEUM),HYDROTREATED MIDDLE; ON MSDS MFR
SIMPLY NOTED AS "PETROLEUM HYDROCARBON" FOR ABOVE CAS NO.

CAS:64742-46-7

RTECS #:JN9379645

OSHA PEL:

5MG/CUM
ACGIH TLV:5MG/CUM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE SLIGHT SKIN
IRRITATION,VAPORS OROIL MIST MAY CAUSE MILD IRRITATION OF UPPER
RESPIRATORY TRACT.
Effects of Overexposure:EYES:PRESUMED NON-IRRITATING;SKIN:SLIGHT
IRRITATION ON LIQUID CONTACT;INHALATION:VAPORS OF OIL MIST MAY
CAUSE MILD
IRRITATION OF UPPER RESPIRATORY TRACT;INGESTION:MAY
RESULT IN VOMITING.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY
DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER.GET MEDICAL HELP IF IRRITATION OCCURS
OR PERSISTS; SKIN:FLUSH WITH WATER.WASH WITH WATER & SOAP.GET MED
ATTN FOR PERSISTING IRRITATION; INHALATION:REMOVE TO FRESH
AIR.PROVIDE OXY
GEN IF BREATHING IS DIFFICULT GET MED ATTN IF
NEEDED; INGESTION:DO NOT INDUCE VOMITING.GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:210F(98.9C)
Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE OR FOAM; DO
NOT USE DIRECT STREAM OF WATER.
Fire Fighting Procedures:IN CONFINED AREA,DO NOT ENTER WITHOUT A FULL
BUNKER GEAR INCLUDING A POSITIVE PRESSURE NIOSH APPROVED
SELF-CONTAINED BREATHING A
PPARATUS.
Unusual Fire/Explosion Hazard:NOT KNOWN

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIM IGNITION SOURCES.WEAR APPROPRIATE
PROTECTIVE CLOTHING & RESPIRATOR.DIKE & TRANSFER LIQ TO A SALVAGE
TANK.SOAK UP RESIDUE WITH ABSORBENT CLAY,SAND OR OTHR MATL.PLACE
RAGS & ABSORBED WASTE MATERL I N COVERED NON-LEAKING CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP

AWAY FROM HEAT/IGNITION SOURCES.

STORE IN DRY,COOL,& VENTILATED LOCATION.DO NOT STORE NEAR OXIDIZING MATERIAL. AVOID PHYSICAL DAMAGE TO CANS.

Other Precautions:MINIMIZE SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS TVL,USE NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

Ventilation:PER MANUFACTURER,PROVIDE LOCAL EXHAUST,OR MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV.

Protective Gloves:CHEMICAL RESISTANT.

Eye Protection:GOGGLES

Other Protective Equipment:EYE WASH FOUNTAINS AND SAFETY SHOWERS.

Work Hygienic Practices:WASH WITH SOAP AND WATER BEFORE EATING, DRINKING,SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NSN FOR 2 PARTS KIT FOR TYPE I,METHOD B LEVEL 1 OF MIL-I-25135,REVISION D;I/A/W QPL-25135-15,THE KIT CONTAINS 1-5 GAL OF FP-94 PENETRANT AND 2-5 GAL E-57 EMULSIFIER;KEY1:N1 ;THIS ENTRY DESCRIBES THE P /N:FP-94 PENETRANT;SEE PNI"B" FOR E-57 EMU LSIFIER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>400F/>204C

Spec Gravity:0.86

Solubility in Water:NEGLIGIBLE

Appearance and Odor:YELLOW-GREEN LIQUID.SLIGHT HYDROCARBON ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL

Stability Condition to Avoid:HEAT & IGNITION SOURVCES.

Hazardous Decomposition Products:CARBON MONOXIDE & OTHER UNIDENTIFIED ORGAN

IC COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS EPA HAZARDOUS WASTE

#D001,IGNITABLE WASTE.PLACE WASTE MATERIAL IN AN APPROPRIATE DISPOSAL FACILITY, OR DISPOSE OF IN COMPLIANCE WITH FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner

whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.