View NSN Online: https://aerobasegroup.com/nsn/8040-01-089-9073

DEXTER HYSOL AEROSPACE & INDUSTRIAL, DIV, DETER COR -- EA 9330 PART B 8040-01-089-9073 Product ID:EA 9330 PART B MSDS Date:04/14/1988 FSC:8040 NIIN:01-089-9073 Kit Part:Y MSDS Number: BGXKW === Responsible Party === Company Name: DEXTER HYSOL AEROSPACE & INDUSTRIAL, DIV, DETER COR Address:2850 WILLOW PASS RD. Box:312 City:PITTSBURG State:CA Country:94 Info Phone N um:415-678-4201 Emergency Phone Num:415-678-4201 CAGE:33564 === Contractor Identification === **Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS** Address:2850 WILLOW PASS ROAD Box:312 City:BAY POINT State:CA ZIP:94565-3299 Country:US Phone:202-483-7616 CAGE:33564

Ingred Name: EPOXY RESIN SYSTEM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PART B IS CORROSIVE TO BODY TISSUES. IT MAY ALSO SENSITIZE SOME INDIVIDUALS PRODUCING ALLERGIC REACTIONS AT VERY LOW EXPOSURE LEVELS. VAPORS ARE EXTREMELY IRRITATING CAUSING RESPIRATORY DISCOMFORT. Effects of Overexposure:EYE:BURNS MAY CAUSE PERMINENT DAMAGE. SKIN:IRRITATING,BURNS. INHALED:RESPIRATORY DISCOMFORT. INGESTED:G/I DISTRESS. Medical Cond Aggravated by Exposure:ALLERGIC SENSITIVIT Y TO EPOXY RESINS.
======================================
First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. GIVE ARTIFICAL RESPIRATION OR OXYGEN AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE LARGE QUANTITY OF MILK OR W ATER.(NOTHING BY MOUTH IF UNCONSCIOUS.)GET IMMEDIATE MEDICAL ATTENTION. IF ANY IRRITATION PERSISTS OR IS SEVERE,GET PROMPT MEDICAL CARE.
======================================
Flash Point Method:TOC Flash Point:>300F/149C Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG,HALON Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS. IN CONFINED AREAS. Unusual Fire/Explosion Hazard:DENSE SMOKE & TOXIC GASSES MAY BE LIBERATED UNDER FIRE CONDITIONS.
======================================
Spill Release Procedures:SCRAPE UP PLACE IN METAL CONTAINER. WIPE UP REMAINDER WITH SOLV ENTS.
Neutralizing Agent:SOLVENT :ALCOHOL
======================================
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED AREA. STORE MAX OF 12 MO. AT 70F21CMAX. Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULES.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE EXPECTED TO BE NECESSARY. Ventilation:NORMAL ROOM VENTILATION. MFR RECOMMENDEES SUPPLEMENTARY LOCAL EXHAUST Protective

Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS
Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES
Other Protective Equipment:CLOTHING TO PREVENT SKIN CONTACT.
Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. REMOVE AND LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
PART B OF A 2 PART KIT. FOR A SEE P/N IND THIS NSN. MSDS NO. AB9163 OR 1735BA3.

HCC:B2 Boilin g Pt:B.P. Text:DECOMPOSES Vapor Pres:1 Solubility in Water:N/L Appearance and Odor:REDDISH-ORANGE LIQUID,AMMONIACAL ODOR

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS,MINERAL ACIDS.
Hazardous Decomposition Products:CARBON OXIDES,NITROGEN
OXIDES,ALDEHYDES,ACIDS,ORGANICS
Conditions to Avoid Polymerization:AVOID MIXING IN QUANTITIES OVER I
LB. DO NOT HEAT ABOVE 75F/24C UNTIL IN PLACE FOR FINAL CURE. HEAT

YIELDS TOXIC GAS.

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing th is

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.