View NSN Online: https://aerobasegroup.com/nsn/7930-00-515-2477

BARRIER INDUSTRIES, INC. -- DETERGENT, GENERAL PURPOSE, LIQ,CONCENTRATE 7930-00-515-2477

Product ID:DETERGENT, GENERAL PURPOSE, LIQ, CONCENTRATE

MSDS Date: 08/28/1987

FSC:7930

NIIN:00-515-2477

MSDS Number: BGXTM === Responsible Party ===

Company Name: BARRIER INDUSTRIES, INC.

Address: 200 E. MAIN STREET

City:PORT JERVIS

State:NJ ZIP:12771 Country:US Info Phone Nu m:(914) 856-6633

Emergency Phone Num: (914) 856-6633

CAGE:33338

=== Contractor Identification ===

Company Name: BARRIER INDUSTRIES INC

Address:200 E MAIN ST Box:City:PORT JERVIS

State:NY

ZIP:12771-2234 Country:US

Phone:914-856-6633

CAGE:33338

======= Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000 Fraction by Wt: 2.5%

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: FORMALDEHYDE (SARA III)

ACGIH TLV:C 0.3 PPM; A2; 9293 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS ========== Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES First Aid:SKIN:FLUSH EXPOSED AREAS WITH WATER. IF PROLONGED REDNESS OR RASH OCCURS SEE A PHYSICIAN. EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES. BATHE EYE IN 1% SOLUTION OF BORIC ACID IF AVAILABLE. SEE PHYSICIAN. INGESTION: INDUCE VOMITING. DRINK WATER OR FRUIT JUICE. SEE PHYSICIAN. Flash Point Method:COC Flash Point:NONE Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS. ======== Accidental Release Measures ============ Spill Release Procedures: MOP IT UP. RINSE WITH LARGE AMOUNTS OF WATER. IF NOT PROPERLY RINSED, FLOOR MAY BE SLIPPERY. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE BETWEEN 40-100. Other Precautions: KEEP AWAY FROM CHILDREN. ====== Exposure Controls/Personal Protection ======== Ventilation:LOCAL EXHAUST: MECHANICAL (GENERAL) ACCEPTABLE. Protective Gloves: RUBBER OR NEOPRENE. Eye Protection: SAFETY GLASSES WITH SPLASH SHIELDS. Supplemental Safety and Health

CAS:50-00-0

RTECS #:LP8925000 Fraction by Wt: 0.06%

OSHA PEL:SEE 1910.1048

======= Physical/Ch

Boiling Pt:B.P. Text:200 Spec Gravity:1.035 Solubility in Water:COMPLETE Appearance and Odor:BRIGHT PINK LIQUID, MILD ODOR. Percent Volatiles by Volume:85
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS, STRONG OXIDIZING AGENTS, CATIONIC DETERGENTS. Hazardous Decomposition Products:POSSIBLY OXIDES OF CARBON OR NITROGEN.
======= Disposal Considerations ==========
Wasta Dispasal Mathads: ANV WHICH MEET ALL EEDEDAL STATE AND LOCAL

Waste Disposal Methods: ANY WHICH MEET ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and ass

ume responsibility for the suitability of this information to their particular situation.

emical Properties =========