View NSN Online: https://aerobasegroup.com/nsn/8030-00-252-8300

PENRECO -- FINGERPRINT REMOVER -- 8030-00-252-8300

Product ID:FINGERPRINT REMOVER

MSDS Date:03/03/1988

FSC:8030

NIIN:00-252-8300

MSDS Number: BGZZD === Responsible Party === Company Name:PENRECO Address:106 SOUTH MAIN ST.

City:BUTLER State:PA ZIP:16001

Info Phone Num:(412) 756-0110

Emergency Phone Num:(412) 756-0110 Preparer's Name:GEORGE BROTHERS

CAGE:PENRE

===

Contractor Identification === Company Name:PENRECO Address:4401 PARK AVENUE

City:DICKINSON

State:TX ZIP:77539 Country:US

Phone:713-236-6070

CAGE:PENRE

Company Name: PENRECO, DIV OF PENNZOIL CO

Address:700 MILIAM ST

Box:2967

City:HOUSTON

State:TX ZIP:77252 Country:US

Phone:800-245-3952

CAGE:86459

======= Composition/Information on Ingredients ========

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3 RTECS #:WJ8925000 Fraction by Wt: 42.2%

Other REC Limits:350 MG/CUM

OSHA PEL:500 PPM

ACGI

H TLV:100 PPM; 9293
============ Hazards Identification =============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: MAY CAUSE BURNING & IRRITATION. SKIN: IRRITATION OR DERMATITIS, SENSITIVE. INHALATION: MAY CAUSE LOCAL IRRITATION, DROWSINESS, PNEUMONIA, OR COMA. INGESTION: MAY CAUSE LOCAL IRRITATION OF THE MUC OUS MEMBRANES OF THE MOUTH, ESOPHAGUS &STOMACH.
xplanation of Carcinogenicity:NONE Effects of Overexposure:EYE: MAY CAUSE BURNING & IRRITATION. SKIN: IRRITATION OR DERMATITIS, SENSITIVE. INHALATION: MAY CAUSE LOCAL IRRITATION, DROWSINESS, PNEUMONIA, OR COMA. INGESTION: MAY CAUSE LOCAL IRRITATION OF THE MUC OUS MEMBRANES OF THE MOUTH, ESOPHAGUS &STOMACH.
======================================
First Aid:EYE: FLUSH W/LARGE AMOUNTS OF WATER. CONTINUE AT LEAST FOR 15 MINUTES. CALL DOCTOR. SKIN: R EMOVE ALL CONTAMINATED CLOTHING. WASH EXPOSED PORTIONS W/SOAP & WATER. CONTAMINATED CLOTHING MUST BE WASHED B EFORE BEING REWORN. INHALATION: MOVE TOFRESH AIR IMMEDIATELY. IF BREATHING HAS STOPPED, APPLY ARTIFICIAL RESPIRATION & ADMINISTER OXYGEN IF NECESSARY. CALL DOCTOR. INGESTION: DON'T INDUCE VOMITING.
======================================
Flash Point Method:TCC Flash Point:100F Extinguishing Media:FOAM, DRY CHEMICAL, CO2

Fire Fighting Pro

cedures:TREAT AS OIL FIRE. USE WATER ONLY TO COOL

SURROUNDING CONTAINERS OF FLAMMABLE OR COMBUSTIBLE MATERIAL.

Unusual Fire/Explosion Hazard: DENSE SMOKE MAY BE GENERATED WHEN

BURNING. SOLVENT CAN CREATE A MODERATE FIRE OR EXPLOSION HAZARD.

======== Accidental Release Measures ============

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. SCRAPE UP MATERIAL INTO WASTE CONTAINERS, OR ABSORB W/DRY SAND OR OIL ABSORBENTS. CLEAN SPILL AREA W/DETERGENT SOLUTI

ONS OR SAFETY SOLVENTS. PROVIDE ADEQUATE VENTILATIO N DURING CLEAN UP. =========== Handling and Storage ============================ Handling and Storage Precautions: STORE IN SEALED CONTAINERS AWAY FROM HEAT/OPEN FLAME/OXIDIZING MATERIALS. FIRE EXTINGUISHERS MUST BE KEPT AVAILABLE & PERSONNEL TRAINED IN PROPER USE. Other Precautions: DON'T TRANSFER TO UNMARKED CONTAINERS. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: USE HALF-MASK OR FULL FACE PIECE RESPIRATOR W/REPLACEABLE CARTRIDGE FILTER. DON'T USE COMPRESSED OXYGEN IN HYDROCARBON ATMOSPHERES. Ventilation: ADEQUATE VENTILATION IN ACCORDANCE W/GOOD ENGINEERING PRACTICE MUST BE PROVIDED. Protective Gloves: RUBBER Eye Protection: FACE SHIELD, SAFETY GOGGLES Other Protective Equipment: SYNTHETIC RUBBER PROTECTIVE CLOTHING; BOOTS, GLOVES, APRONS, ETC. Work Hygienic Practices: WASH HANDS & FACE W/SOAP & WATER BEFORE SMOKING OR EATING. Supplemental Safety and Health ========= Physical/Chemical Properties ====================== Boiling Pt:B.P. Text:300-325F Vapor Density:4.3 Spec Gravity:0.87 Evaporation Rate & Evaporation R