View NSN Online: https://aerobasegroup.com/nsn/8040-00-266-7425

W.W. HENRY COMPANY -- 232 HENRY ASPHALT CUTBACK ADHESIVE -- 8040-00-266-7425

============= Product Identification ========================

Product ID:232 HENRY ASPHALT CUTBACK ADHESIVE

MSDS Date:02/01/1988

FSC:8040

NIIN:00-266-7425

MSDS Number: BGZZH === Responsible Party ===

Company Name: W.W. HENRY COMPANY

Address:5608 SOTO STREET City:HUNTINGTON PARK

State:CA ZIP:90255

Info Phone Num: (213) 583-4961

Emergency Phone Num:(2

13) 583-4961

CAGE:FO818

=== Contractor Identification === Company Name: HENRY W W CO

Box:3001

City:LANCASTER

State:PA ZIP:17604 Country:US

Phone:717-396-2328;717-396-2935

CAGE:11761

Company Name: W.W. HENRY COMPANY

Address:5608 SOTO STREET City:HUNTINGTON PARK

State:CA ZIP:90255

Phone: (213) 583-4961

CAGE:FO818

======= Composition/Information on Ingredients ========

Ingred Name: NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000 Fraction by Wt: 30-35%

Other REC Limit

s:STEL 400 PPM **OSHA PEL:100 PPM** ========= Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: DIZZINESS, EYE, NOSE, THROAT & LUNG DISTRESS, ASPHYXIATE. SKIN: IRRITATION, DERMATITIS. **Explanation of Carcinogenicity:ONE** Effects of Overexposure: INHALATION: HEADACHE, DIZZINESS, EYE, NOSE, THROAT & LUNG DISTRESS, ASPHYXIATE. OVEREXP **OSURE TO SOLVENTS WITH** PERMANENT BRAIN/NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING/IN HALING THE CONTENTS MAY BE HARMFUL OR FATAL. SKIN: IRRITATION/DERMATITIS. Medical Cond Aggravated by Exposure: CURRENT ANEMIA, RESPIRATORY TRACT OR LIVER AILMENTS, & SKIN CONDITIONS. First Aid:INHALATION: MOVE PERSON TO FRESH AIR/APPLY ARTIFICIAL RESPIRATION IF NEEDED. CALL PHYSICIAN IMMEDIATELY . EYE: IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SKIN: WASH THOROUGHLY WITH SOAP & WATER OR HAND CLEANER. ============ Fire Fighting Measures ========================= Flash Point:56F Lower Limits: 1% Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG Fire Fighting Procedures: VAPORS ARE FLAMMABLE IF ALOWED TO COLLECT AND CONCENTRATE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME, & ALL OTHER SOURCES OF IGNITION/UNTIL VAPORS ARE GONE. Unusual Fire/Explo sion Hazard: ADHESIVE WILL FLOAT TO SURFACE OF WATER/MAINTAIN FLAME. WATER CAN SPREAD FLAME. CLOSED CONTAINER MAY DEVELOP PRESSURE/ERUPT WHEN EXPOSED TO EXTREME HEAT. ========= Accidental Release Measures ================

Spill Release Procedures:REMOVE OR EXTINGUISH ALL SOURCES OF IGNITION IN THE AREA, INCLUDING EQUIPMENT WHICH MAY SPARK. SCOOP MATERIAL INTO APPROVED DOT CONTAINER. REMOVE TO SAFE PLACE WHERE MATERIAL CAN DRY.

====== Handling an

d Storage =============
Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, FLAMES, & ALL SOURCES OF IGNITION. KEEP OUT OF REACH OF CHILDREN. CLOSE CONTAINER AFTER ECH USE. DON'T RE-USE CONTAINER. Other Precautions:AVOID SKIN & EYE CONTACT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WEAR NIOSH APPROVED RESPIRATORY EQUIPMENT, OR LEAVE THE AREA.
Ventilation:OPEN ALL WINDOWS/DOORS & UTILIZE OTHER FIRE-SAFE MEANS TO
ASSURE FRESH AIR ENTRY/EXHAUST & UNTIL ALL VAPORS ARE GONE. Protective Gloves:PROTECTIVE Eye Protection:GLASSES
Other Protective Equipment:NONE REQUIRED Work Hygienic Practices:WASH SKIN THOROUGHLY WITH SOAP & WATER OR HAND CLEANER.
Supplemental Safety and Health THIS PRODUCT CONTAINS NO ASBESTOS AS OF 1986. TO CHECK FOR DATE LOOK AT CODE: 232-YMMDD-LOT OR BATCH. ALSO CONTAINS: CELLULOSE FIBERS.
========= Physical/Chemical Properties =========
Boiling Pt:B.P. Tex
t:257-310F
Vapor Density:>AIR
Evaporation Rate & Description R
Percent Volatiles by Volume:40%
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME, & ALL OTHER SOURCES OF IGNITION.
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS. DON'T FLUSH A

DHESIVE DOWN DRAINS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to the ir particular situation.