View NSN Online: https://aerobasegroup.com/nsn/3439-00-902-4211

## EUTECTIC CORPORATION -- EUTECTRODE 1851 -- 3439-00-902-4211

=========== Product Identification ==============

Product ID:EUTECTRODE 1851

MSDS Date:05/01/1986

FSC:3439

NIIN:00-902-4211

MSDS Number: BHBBW === Responsible Party ===

Company Name: EUTECTIC CORPORATION

Address:40-40 172ND STREET

City:FLUSHING

State:NY ZIP:11358

Info Phone Num:(718) 358-4000

Emergency Phone Num: (718) 358-4000

CAGE:EO060 === Contractor Identification ===

Company Name: EUTECTIC CORP

Address:9625-J SOUTHERN PINE BLVD

Box:City:CHARLOTTE

State:NC ZIP:28273 Country:US

Phone: 704-527-9800/800-221-1433

CAGE:72271

Company Name: EUTECTIC CORPORATION

CAGE:EO060

======= Composition/Information on Ingredients ========

Ingred Name: COPPER (SARA III)

CAS:7440-50-8

RTECS #:GL5325000

Other REC Limits:0.1 MG/CUM FUMES OSHA PEL:0.1MG/M3 FUME/1 DUST ACGIH TLV:0.2MG/M3 FUME; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

**Ingred Name** 

Flash Point:NO
======================================
First Aid:INHALATION: REMOVE FROM OVEREXPOSURE/APPLY ARTIFICIAL RESPIRATION, IF NEEDED. EYE/SKIN: WASH WITH SOAP & WATER, ALLERGIC REACTIONS LIKELY IN ABOUT 10% OF WORKERS. CALL MEDICAL HELP.
======================================
IOUS EFFECTS ON THE HEART/CIRCULATORY SYSTEM/MUSCULATURE. MAY LEAD TO SIDEROSIS (IRON DEPOSITS IN LUNGS)/MAY AFFECT PULMONARY FUNCTIONS
Medical Cond Aggravated by Exposure:ALLGERGIC SKIN REACTION, ULCER. NERVOUS DISORDER/MAY HAVE DELETER
EDEMA/LUNG FIBROSIS/NERVOUS DISORDERS/BREATHING DIFFICULT/COUGH/FEVER/CIRCULATORY SYSTEM/MUSCULATURE/SK IN, EYES & RESPIRATORY TRACT. ARC RAYS CAN INJURE EYES/BURN SKIN/SYSTEMIC POISONING AFFECTING KIDNEYS & LIVER.
TO CERTAIN CHROMIUM (VI) CO MPOUNDS HAVE AN EXCESS OF LUNG CANCER. Effects of Overexposure:INHALATION: MAY AFFECT CENTRAL NERVOUS SYSTEM/MUSCULAR WEAKNESS/TREMORS/PNEUMOCONIOSIS/PULMONARY
FEVER/RHINITIS/HEADACHE. INGESTION: SEVERE INJURY OR DEATH. SKIN: CAN FORM ULCERS.  Explanation of Carcinogenicity:STUDIES HAVE SHOWN THAT WORKERS EXPOSED
NOSE, THROAT/EYES, DAMAGE TO THE LUNGS/ASTHAM, DISCOMFORT/DIZZINESS/NAUSEA/DRYNESS/SKIN & EYE BURNS, PULMONARY EDEMA BRONCHITIS/METALLIC TASTE/TIGHTNESS IN CHEST/
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES Health Hazards Acute and Chronic:IRRITATION OF THE RESPIRATORY SYSTEM,
Routes of Entry: Inhalation:YES Skin:YES Ingesti on:YES
======================================
Ingred Name:SILICATE BINDERS (SODIUM SILICATE) CAS:1344-09-8 ACGIH TLV:10 MG/CUM
CAS:7429-90-5 RTECS #:BD0330000 Other REC Limits:5 MG/CUM OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST; 9192
Ingred Name:ALUMINUM (SARA III)
:ALUMINUM SODIUM FLUORIDE (SODIUM FLUOALUMINATE OR CRYOLITE) CAS:15096-52-3 RTECS #:WA9625000 OSHA PEL:2.5 MG/M3 (F) ACGIH TLV:2.5 MG/M3 (F); 8990

NFLAMMABLE Unusual Fire/Explosion Hazard:NON FLAMMABLE. WELDING ARC & BRAZING FLAMES CAN IGNITE COMBUSTIBLES/FLAMMABLES.	
========== Handling and Storage =============	
Handling and Storage Precautions:ONE RECOMMENDED WAY TO DETERMINE THE COMPOSITION/QTY OF FUMES/GASES TO WHICH WORKERS ARE EXPOSED TAKE AN AIR SAMPLE INSIDE WELDERS, IF WORN.  Other Precautions:TRAIN THE WORKER NOT TO TOUCH LIVE ELECTRICAL PART TO INSULATE HIMSELF FROM WORK & GROUND. T  RAIN THE WORKER TO KEEP HIS HEAD OUT OF THE FUMES.	) IS TO

====== Exposure Controls/Personal Protection ========

Respiratory Protection:USE NIOSH APPROVED RESPIRABLE FUME AIR SUPPLIED RESPIRATOR WHEN WORKING IN CONFINED SPACE.

Ventilation:USE ENOUGH LOCAL EXHAUST/MECHANICAL VENTILATION AT THE ARC

Ventilation:USE ENOUGH LOCAL EXHAUST/MECHANICAL VENTILATION AT THE ARC TO KEEP