View NSN Online: https://aerobasegroup.com/nsn/2640-01-262-9517

HUSK-ITT CORPORATION -- HUSKEY HT 3 GREASE -- 2640-01-262-9517

Product ID:HUSKEY HT 3 GREASE MSDS Date:04/26/1989 FSC:2640 NIIN:01-262-9517 MSDS Number: BHBFR === Responsible Party === Company Name: HUSK-ITT CORPORATION Address:1247 E. HILL ST. City:SIGNAL HILL State:CA ZIP:90806 Info Phone Num:1-(800) 424-9300 Emergency Phone Num: (213) 426-1785 CAGE:HUSKE === Co ntractor Identification === Company Name: H AND R PARTS CO INC Address:185 GREAT NECK RD Box:425 **City: GREAT NECK** State:NY ZIP:11022 Country:US CAGE:5P784 Company Name: HUSK-ITT CORPORATION Address:1247 E. HILL ST City:SIGNAL HILL State:CA ZIP:90806 Phone: (213) 426-1785 CAGE:HUSKE

Ingred Name:NON-HAZARDOUS FOR INGREDIENTS

Routes of Entry: Inhalation:NO Skin:Y

ES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: IRRITATION & SENSITIVE. Explanation of Carcinogenicity:NONE Effects of Overexposure:SKIN: IRRITATION & SENSITIVE.
======================================
First Aid:INGESTION: TREAT AS OIL. EYES: FLUSH W/WATER CONTACT PHYSICIAN IF IRRITATION PERSISTS.
======================================
Flash Point Method:COC Flash Point :455F
Extinguishing Media:DRY CHEMICAL, CO2, WATER FOG, FOAM. Fire Fighting Procedures:TREAT AS OIL FIRE USE SCBA. Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: SCRAPE UP EXCESS DISPOSE IN LAND FILL OR BURN IN ACCORDANCE W/LOCAL REGULATIONS.
======================================
Handling and Storage Precautions:USE STANDARD INDUSTRIAL HANDLING PROCEDURES. Other Precautions: NONE
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:NORMALLY NOT NEEDED. Ventilation:LOCAL EXHAUST Protective Gloves:FOR CLEANLINESS. Eye Protection:AS REQUIRED BY COMPANY. Other Protective Equipment:NONE. Work Hygienic Practices:STANDARD METHODS. Supplemental Safety and Health
======================================
Solubility in Water:INSOLUBLE Appearance and Odor:LIGHT AMBER SEMI-SOLID W/MILD ODOR.

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS Stability Condition to Avoid:WELDING Hazardous Decomposition Products:DENSE SMOKE, CO2, CO, TACE FLOURIDE COMPOUNDS.

Waste Disposal Methods:DISPOSE ACCORDING TO LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.