

HULS AMERICA INC. -- MIL-L-6085B/PQ RUST PREVENTIVE 160#0430008 -- 9150-00-223-4129
===== Product Identification =====

Product ID:MIL-L-6085B/PQ RUST PREVENTIVE 160#0430008

MSDS Date:01/16/1989

FSC:9150

NIIN:00-223-4129

MSDS Number: BHCJL

=== Responsible Party ===

Company Name:HULS AMERICA INC.

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854

Country:US

Info Phone Num:201-763-7173

Emergency Phone Num:201-763-7173

Preparer's Name:P.A. PARKER

CAGE:0DH22

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name:HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:201-763-7173

CAGE:0DHB8

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP

:08854-0365
Country:US
Phone:908-981-5016
CAGE:0DH22

=====
Composition/Information on Ingredients
=====

Ingred Name:SULFONIC ACIDS,PETROLEUM,SODIUM SALTS
CAS:68608-24-4
Fraction by Wt: 100.0%

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:LOW ORAL AND DERMAL
TOXICITY;MIST OR FUMES FROM EXCESSIVE HEATIN
G MAY CAUSE EYE AND
SKIN IRRITATION,NAUSEA,VOMITING,RESPIRATORY TRACT IRRITATION.
Explanation of Carcinogenicity:NO DATA AVAILABLE.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

=====
First Aid Measures
=====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES:FLUSH WITH PLENTY OF
WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL HELP. INHALATION:REMOVE
TO FRESH AIR;SEEK MEDIC
AL HELP. INGESTION:DO NOT INDUCE
VOMITING,CALL A PHYS ICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:440F/227C
Extinguishing Media:WATER FOG,DRY CHEMICAL,FOAM OR CO*2.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE IN
CLOSED CONTAINERS;COOL WITH WATER SPRAY.

=====
Accidental Release Measures
=====

