

OLIN HUNT SPECIALTY PRODUCTS INC.SUBS OF OLIN CORP -- 814301 CINE-3 REVERSAL  
CLEARING SOLUTION -- 6750-00-441-9536

===== Product Identification =====

Product ID:814301 CINE-3 REVERSAL CLEARING SOLUTION

MSDS Date:10/21/1985

FSC:6750

NIIN:00-441-9536

MSDS Number: BHCKB

=== Responsible Party ===

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC.SUBS OF OLIN CORP

Address:5 GARRET MOUNTAIN PLAZA

City:WEST

PATERSON

State:NJ

ZIP:07424-3360

Country:US

Info Phone Num:203-356-3449

Emergency Phone Num:800-654-6911

CAGE:OLINH

=== Contractor Identification ===

Company Name:FUJI HUNT PHOTOGRAPHIC CHEMICALS INC

Address:W 115 CENTURY RD

Box:988

City:PARAMUS

State:NJ

ZIP:07653-0988

Country:US

Phone:201-967-9603

CAGE:73877

Company Name:OLIN HUNT SPECIALTY PRODUCTS INC.

Address:5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

Phone:203-789-5436

CAGE:OLINH

===== Composition/In

formation on Ingredients =====

Ingred Name:POTASSIUM SULFITE

CAS:10117-38-1

Fraction by Wt: 21-26%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION.  
Effects of Overexposure:MAY CAUSE EYE IRRITATION.  
Medical Cond Aggravated by Exposure:NONE NOTED.

===== First Aid Measures =====  
=====

First Aid:EYES:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES AND  
GET MEDICAL ATTENTION. SKIN:FLUSH WITH WATER FOR 15 MINUTES.IF  
IRRITATION PERSISTS,SEE DOCTOR.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER  
FOG.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER  
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN INERT ABSORBENT AND PLACE IN  
APPROPIATE CONTAINER AND SEAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AREA.AVOID CONTACT  
WITH EYES,SKIN OR CLOTHING.DO NOT TAKE INTERNALLY.UPON CONTACT WITH  
SKIN OR EYES,WASH OFF WITH WAT

ER.  
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.  
Ventilation:GENERAL (MECHANICAL) VENTILATION.  
Protective Gloves:RUBBER.  
Eye Protection:SAFETY GLASSES,GOGGLES OR FACESHIELD.  
Other Protective Equipment:RUBBER APRON.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.LAUNDER  
CONTAMINATED CLOTHING BEFORE REUSE.  
Supplemental Safety and Health  
NONE.

===== Physical/Chemical Properties  
=====

HCC:B3  
Boiling Pt:B.P. Text:220F,104C  
Vapor Pres:15  
Spec Gravity:1.25  
pH:8.0  
Evaporation Rate & Reference:1 (BUTYL ACETATE=1)  
Solubility in Water:COMPLETE  
Appearance and Odor:MILDLY ALKALINE AQUEOUS SOLUTION OF INORGANIC  
SALTS.  
Percent Volatiles by Volume:65

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS (WILL PRODUCE SULFUR DIOXIDE FUMES).  
Stability Condition to Avoid:EXCESSIVE HEAT.  
Haz  
ardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT YOUR LOCAL ENVIRONMENTAL OFFICER.  
DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE AND  
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warra

nts this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.