View NSN Online: https://aerobasegroup.com/nsn/6810-00-826-6121

LA ROCHE INDUSTRIES INC -- AMMONIUM HTDROXIDE; AQUA AMMONIA -- 6810-00-826-6121

======== Product Identification ============

Product ID:AMMONIUM HTDROXIDE;AQUA AMMONIA

MSDS Date:05/18/1989

FSC:6810

NIIN:00-826-6121

MSDS Number: BHCNS === Responsible Party ===

Company Name:LA ROCHE INDUSTRIES INC Address:1100 JOHNSON FERRY ROAD NE

City:ATLANTA

State:GA ZIP:30342 Country:US

Info Phone Num:404-491-7987 OR 714-

864-2310 (DIST)

Emergency Phone Num: 404-491-7987

CAGE:JO381

=== Contractor Identification ===

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name: LA ROCHE INDUSTRIES INC

Box:5500

City:GRAMERCY

State:LA ZIP:70052 Country:US

Phone:800-248-6336

CAGE:JO381

Company Name:LAROCHE INDUSTRIES INC Address:1100 JOHNSON FERRY RD NE

Box:1031 City:ATLANTA State:GA

ZIP:30342 Country:US

Phone:

CHEMTREC 800-424-9300 CAGE:0H3P7
======= Composition/Information on Ingredients ========
Ingred Name:AMMONIA (SARA III) CAS:7664-41-7
RTECS #:BO0875000
Fraction by Wt: 19-30% OSHA PEL:50 PPM
ACGIH TLV:25 PPM/35 STEL; 9293 EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS
Ingred Name:WATER (AMMONIA AND WATER FROM AMMONIUM HY DROXIDE OR AQUA AMMONIA 100%).
CAS:7732-18-5 RTECS #:ZC0110000
Fraction by Wt: 81-70%
======================================
LD50 L C50 Mixture:ORAL LD50:30MG/KG,RATS;LC50:4230PPM,MI Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL BODY TISSUE;IRRITATION OR BURN TO EYES,SKIN,MUCOUS MEMBRANES,RESPIRATORY OR
G.I.TRACT;SUFFOCATING,NAUSEA,VOMITING.CHRONIC:IRRITATION,RESPIRATOR Y PROBLEM OR LUNG DAMAGE.
Explanation of Carcinogenicity:NO DATA PER MSDS. Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.
======================================
First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL HELP IMMEDIATELY. SKIN:WASH WITH PLENTY OF WATER FOR ABOUT 15 MINUTES;USE HAND CREAM. INHALATION:REMOVE TO FRESH AIR.CALL APHYSICIA N;INGESTION:DO NOT INDUCE VOMITING;CALLA PHYSICIAN IMMEDIATELY.
======================================

========
Flash Point:NONE Lower Limits:15.0 Upper Limits:25.0 Extinguishing Media:WATER-FOG OR SPRAY. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA. Unusual Fire/Explosion Hazard:MAY EXPLODE IN CONTACT WITH SOURCES. OF HEAT;AVOID EXTREME HEAT.
======== Accidental Release Measures ==========
Spill Release Procedures:USE PROPER PERSONAL PROTECTION/REPORT LOCAL AUTHORITIES;USE SCBA,VENTTILATE THE/AREA,RECOVERFLUIDIF POSSIBLE,OR;C ONSULT AN EXPERT FOR FINAL DISPOSAL. Neutralizing Agent:DIL HCL
=========== Handling and Storage =============
Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA;KEEP AWAY FROM HEAT OPEN FLAMES,ACIDS,METALS LIKE ZINC,COPPER,BRASS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR AMMONIA IF ABOVE PEL/TLV. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Prot ective Gloves:RUBBER/PVC Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD. Other Protective Equipment:PROTECTIVE CLOTHING;EYE-WASH;SAFETY SHOWER Work Hygienic Practices:AVOID CONTACT WITH EYES,SKIN AND INHALATION OF AMMONIA VAPORS.DO NOT USE CONTACT LENS THOROUGHLY AFTER USE. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
1100 P.4

HCC:B1
Boiling Pt:=28.3C, 83.F
Melt/Freeze Pt:=-72.2C, -98.F
M.P/F.P Text:(30%.S
Vapor Pres:720
Vapor Density:0.60
Spe

pH:11.6 Solubility in Water:COMPLETE Appearance and Odor:CLEAR COLORLESS LIQUID WITH A PUNGENT ODOR. Percent Volatiles by Volume:100
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS, CL:2,BR:2,HG,AG,CU ZINC. Stability Condition to Avoid:EXTREME HEAT Hazardous Decomposition Products:HYDROGEN WITH METAL
======= Disposal Considerations ==========
Waste Disposal Methods:CONSULT LOCA L AUTHORITES;DISPOSAL OR CLEAN OFF MUST NE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

c Gravity:0.89

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice t o verify and assume responsibility for the suitability of this information to their particular situation.