View NSN Online: https://aerobasegroup.com/nsn/6850-01-237-8004

Product ID:CEE-BEE CLEANER R-681 MSDS Date:02/01/1990 FSC:6850 NIIN:01-237-8004 **MSDS Number: BHCWG** === Responsible Party === Company Name: MCGEAN-ROHCO INC, CEE-BEE CHEMICAL DIV Address:9520 E CEE BEE DR City:DOWNEY State:CA ZIP:90241-5501 Country:US Info Phone Num:213-803-4311 Emer gency Phone Num:213-803-4311 Preparer's Name: TSCA COORDINATOR CAGE:71361 === Contractor Identification === Company Name: MCGEAN-ROHCO INC Address:9520 E CEE BEE DR Box:City:DOWNEY State:CA ZIP:90241-5501 Country:US Phone:562-803-4311/FAX: 562-803-6701 CAGE:71361

Ingred Name:AROMATIC PETROLEUM SOLVENT (HEAVY AROMATIC NAPHTHA) CAS:64742-94-5 Fraction by Wt: 10-15% Other REC Limits:100 PPM

Ingred Name:2-BUTOXYETHANOL (ETHYLENE G

LYCOL MONOBUTYL ETHER) CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED OSHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9293

Ingred Name:UNIDENTIFIED COMPONENTS Fraction by Wt: BALANCE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHALATION-CENTRAL NERVOUS SYSTEM DEPRESSION. EYES/SKIN- MAY

LEAD TO IRRITATION. INGESTION-

STOMACH DISTRESS. CHRONIC: REPEATED AND PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: COUGHING, SHORTNESS OF BREATH, DIZZINESS, HEADACHE, NAUSEA. EYES: REDNESS, TEARING. SKIN: RASH, REDNESS, ITCHING. INGESTION: NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:PERSONS WITH A SKIN DISORDER SHOULD USE CAUTION WHEN HANDLING OR USING THIS PRODUCT.

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR & RESTORE BREATHING IF NEEDED. GET MEDICAL ATTENTION. EYE: F LUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

======================= Fire Fighting Measu

Flash Point Method:TCC Flash Point:140F,60C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR FOAM Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL IGNITION SOURCES;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions: STORE IN A COOL, VENTILATED WORK AREA. KEEP CONTAINERS CLOSED WHEN NOT IN USE. COMBUSTIBLE LIQUID; EMPTY CONTAINERS CA N BE HAZARDOUS. Other Precautions: DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA. Ventilation: USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves: RUBBER Eye Protectio n:CHEMICAL GOGGLES Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health MANUFACTURER RECOMMENDS TO STORE MATERIAL AT TEMPERATURES BETWEEN 32F AND 100F. OPEN BUNGS SLOWLY AND CAREFULLY. HCC:F4 Boili ng Pt:B.P. Text:208F,98C Vapor Pres:10-15 MMHG

Vapor Density:2.0 Spec Gravity:1.0 pH:9.9 Evaporation Rate & Reference: