

LIQUID AIR CORPORATION -- ARGON -- 6830-00-564-8989

===== Product Identification =====

Product ID:ARGON

MSDS Date:10/01/1985

FSC:6830

NIIN:00-564-8989

MSDS Number: BHDNK

=== Responsible Party ===

Company Name:LIQUID AIR CORPORATION

Address:2121 N. CALIFORNIA BLVD.

City:WALNUT CREEK

State:CA

ZIP:94596

Country:US

Info Phone Num:415-977-6500

Emergency Phone Num:414-977-6500

CAGE:DO426

=== Contractor

Identification ===

Company Name:LIQUID AIR CORP ONE CALIFORNIA PLAZA

Address:2121 N. CALIFORNIA BLVD

Box:City:WALNUT CREEK

State:CA

ZIP:94596

Country:US

Phone:415-977-6500

CAGE:18260

Company Name:LIQUID AIR CORPORATION

Address:2121 N. CALIFORNIA BLVD., SUITE 350

City:WALNUT CREEK

State:CA

ZIP:94596

Phone:510-977-6500

CAGE:DO426

Company Name:WELCO GASES CORP.

CAGE:0C525

===== Composition/Information on Ingredients =====

Ingred Name:ARGON

CAS:7440-37-1

=====

Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ARGON IS NONTOXIC BUT THE LIBERATION  
OF A LARGE AMOUNT IN A CONFINED AREA COULD DISPLACE THE AMOUNT OF  
OXYGEN IN AIR NECESSARY TO SUPPORT LIFE.  
Effects of Overexposure:MAY INCLUDE ANY,ALL,OR NONE OF THE  
FOLLOWING:DIZZINESS,TIGHTNESS OF FOREHEAD,TINGLING  
TONGUE,FINGERTIPS OR TOES,WEAKENED SPE  
ECH LEADING TO INABILITY TO  
UTTER SOUNDS,RAPID REDUCTION IN ABILITY TO PERFO RM  
MOVEMENTS,REDUCED CONSCIOUSNESS OF SURROUNDINGS,LOSS OF TACTILE  
SENSATIONS,&HEIGHTED MENTAL ACTIVITY.

===== First Aid Measures =====

First Aid:PROMPT MEDICAL ATTN IS MANDATORY IN ALL CASES OF OVEREXPOSURE  
TO ARGON.RESCUE PERSONNEL SHOULD BE EQUIPPED W/SELF-CONTAINED  
BREATHING APPARATUS.CONSCIOUS/UNCONSCIOUS PERSONS SHOULD BE MOVED  
TO UNCONTA MINATED AREA  
.UNCONSCIOUS PERSON SHOULD BE GIVEN  
MOUT-TO-MOUTH RESUSCITATION & SUPPLEMENTAL OXYGEN.QUICK REMOVAL  
FROM THE CONTAMINATED AREA IS MOST IMPORTANT.

===== Fire Fighting Measures =====

Extinguishing Media:NONFLAMMABLE, INERT GAS

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL PERSONNEL FROM AREA. USE  
APPROPRIATE PROTECTIVE EQUIP.IF LEAK IS IN CONTAINER OR  
CONTRNVALVE,CONTACT YOUR CLOSEST S  
UPPLIER LOCATION OR CALL THE  
EMERGENCY TELEPHONE NUMBER LISTED HEREIN.

===== Handling and Storage =====

Handling and Storage Precautions:USE IN WELL-VENTILATED AREAS.DO NOT  
DRAG,SLIDE, ORROLL CYLS.USE SUITABLE HAND TRUCK. PROTECT  
CYLNDRSFROM PHYSICAL DAMAGE. SEGREGATE FULL/EMPTY CYLNDRS  
Other Precautions:COMPRESSED GAS CYLS SHOULD NOT BE FILLED EXCEPT BY  
QUALIFIED PRODUCERS OF COMPRESSED GAS.SHIPMENT OF COMPRESSED GAS  
CYL WHICH HAS NOT B

EEN FILLED BY THE OWNER OR W/HIS WRITTEN  
CONSENT IS A VIOLATION OF FEDERAL LAW (49CFR).

===== Exposure Controls/Personal Protection =====

Respiratory Protection: POSITIVE PRESSURE AIR LINE W/MASK OR  
SELF-CONTAINED BREATHING APPARATUS SHOULD BE AVAILABLE FOR  
EMERGENCY USE.

Ventilation: TO PREVENT ACCUMULATION OF HIGH CONCENTRATIONS SO AS TO  
REDUCE THE OXYGEN LEVEL IN THE AIR TO LESS THAN 18 MOLAR %.

Protective Gloves: ANY MATERIAL

Eye Protection: SAFETY GOGGLES/GL  
ASSES

Other Protective Equipment: SAFETY SHOES

Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: -302.55F

Vapor Pres: >-188.12F

Vapor Density: .1034 LB/FT<sup>3</sup>

Spec Gravity: 1.38 @ 70F AIR=1

Solubility in Water: BUN COEF .0340 @ 68F

Appearance and Odor: COLORLESS, ODORLESS GAS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
NONE

Hazardous Decomposition Products: NONE

===

===== Disposal Considerations =====

Waste Disposal Methods: DO NOT ATTEMPT TO DISPOSE OF WTR OR UNUSED  
QTYS. RETURN IN THE SHIPPING CONTAINER PROPERLY LABELED, W/VALVE  
OUTLET PLUGS OR CAPS SECURED & VALVE PROTECTION CAP IN PLACE TO  
YOUR SUPPLIER. FOR EMERGENCY DISPOSAL CALL CLOSEST SUPPLIER OR  
CALL EMER NO.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of

Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.