View NSN Online: https://aerobasegroup.com/nsn/8030-00-597-5367

JET-LUBE, INC. -- ANTI-SEIZE COMPOUND -- 8030-00-597-5367

Product ID:ANTI-SEIZE COMPOUND

MSDS Date:12/17/1986

FSC:8030

NIIN:00-597-5367

MSDS Number: BHDPH
=== Responsible Party ===
Company Name:JET-LUBE, INC.
Address:4849 HOMESTEAD ROAD

Box:21258 City:HOUSTON

State:TX

ZIP:77228-1258

Country:US

Info Phone Num:713-674-7617

Emergency Phone Num:713-674-7617

Preparer

's Name: V.T. WILCOX

CAGE:KO337

=== Contractor Identification === Company Name:JET-LUBE INC Address:4849 HOMESTEAD RD

Box:21258 City:HOUSTON

State:TX ZIP:77026 Country:US

Phone:713-674-7617

CAGE:07431

Company Name: JET-LUBE, INC. Address: 4849 HOMESTEAD ROAD

Box:21258 City:HOUSTON

State:TX ZIP:77226

Phone: (713) 674-7617

CAGE:KO337

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

Fraction by Wt: 25% M

OSHA PEL:TWA-5MG/M3, OIL MIST

ACGIH

Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 70% M OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:REDNESS AND IRRITATION OF SKIN. Effects of Overexposure:REPEATED SKIN CONTACT FOR PERSONS HYPERS ENSITIVE TO PETROLEUM PRODUCTS CAN CAUSEREDNESS AND IRRITATION OF SKIN. LEAD: ABDOMINAL PAIN, METALLIC TASTE IN MOUTH.
LOSS OF WEIGHT, PAIN IN MUSCLES AND MUSC ULAR WEAKNESS.
======================================
First Aid:EYE: WASH WITH COPIOUS QUANTITIES OF WATER SKIN: REMOVE BY WIPING, OR WATERLESS HAND CLEANER, FOLLOWED BY WASHING INHAL: CLEAR AIR PASSAGE, CALL PHYSICIAN INGST: DO NOT INDUCE VOMITING, CALL PHYSICIAN
===== ========= Fire Fighting Measures ================
Flash Point Method:COC Flash Point:116F/241C Autoignition Temp:Autoignition Temp Text:>260C Extinguishing Media:FOAM, DRY;CHEMICAL, WATER SPRAY (FOG), CARBON DIOXIDE OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS Fire Fighting Procedures:USE SUPPLIED AIR BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ============

Spill Release

Procedures:SCOOP UP EXCESS, WIPE UP W/RAGS, PICK UP RESIDUE WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.
========== Handling and Storage ===========
Handling and Storage Precautions:NORMAL PRECAUTIONS AS WITH ANY PETROLEUM PRODUCT Other Precautions:NR
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NR Ventilation:NR Protective Gloves:NR Eye Protection:NR Other Protective Equipment:PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE GLOVES Work Hygienic Practices:WASH HANDS BEFORE EATING Supplemental Safety and Health NK
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:329C Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:5 Spec Gravity:2.40 Evaporation Rate & Description R