View NSN Online: https://aerobasegroup.com/nsn/6830-00-598-9401

Product ID:NITROGEN MSDS Date:04/08/1986 FSC:6830 NIIN:00-598-9401 **MSDS Number: BHDQQ** === Responsible Party === Company Name:SUNOX INCORPORATED Address:4236 STATESVILLE ROAD Box:33871 City:CHARLOTTE State:NC ZIP:28233 Country:US Info Phone Num:(704) 596-6262 Emergency Phone Num: (803) 324-4180 CAGE:SUNOX === Cont ractor Identification === Company Name:SUNOX INCORPORATED Address:4236 STATESVILLE ROAD Box:33871 City:CHARLOTTE State:NC ZIP:28233 Country:US Phone:704-596-6262 CAGE:SUNOX

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 ACGIH TLV:ASPHYXIANT; 9192

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:

NO

Effects of Overexposure: EXPOSURE MAY INCLUDE ANY, NONE, OR ALL OF THE FOLLOWING: LOSS OF BALANCE/DIZZINESSTIGHTNESS IN THE FRONTAL AREA OF THE FOREHEAD; TINGLING OF TONGUE, FINERTIPS, TOES, WEAKENED SPEECH, RAPID REDUCTION IN ABILI TY TO PERFORM MOVEMENTS, REDUCED CONSCIOUSNESS OF SURROUNDINGS, LOST TACTILE SENSATIONS, OR HEIGHTENED MENTAL ACTIVITY.

First Aid:PROMT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OV OVEREXPOSURE TO NITROGEN. RESCUE PERSONNEL SHOULD BE EQUIPPED W/SELF CONTAINED BREATHING APPARATUS. INHALATION: QUICK REMOVAL FROM THE CONTA MINATED AREA IS MOST IMPORTANT. UNCONSCIOUS PERSONS SHOULD BE MOVED TO AN UNCONTAMINATED AREA, GIVEN MOUTH TO MOUTH RESUSCITATION & SUPPLEMENTAL OXYGEN. IMMEDIATELY GET MEDICAL ASSISTANCE

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:NON FLAMMABLE, INERT GAS Fire Fighting Procedures:NA Unusual Fire/Explosion Hazard:NA

Spill Release Procedures: EVACUTE ALL PERSONNEL FROM AFFECTED AREA. USE APPROPRIATE PROTECTIVE EQUIP. IF LEAK IS IN CON TAINER OR CONTAINER VALVE, CONTACT THE CLOSEST SUNOX LOCATION.

Handling and Storage Precautions:DO NOT DRAG, SLIDE, OR ROLL CYLINDERS. STORE

IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM HVY TRAFFCFULL & EMPTY CYLINDERS SHOULD BE SEGREGATED.

Other Precautions: COMPRESSED GAS CYLINDERS SHOULD NOT BE REFILLED EXCEPT BY QUALIFIED PRODUCERS OF COMPRESSED GASES.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: POSITIVE PRESSURE AIR LINE W/MASK OR SELF CONTAINED BREATHING APPARATUS SHOULD BE AVAILABLE FOR EMERGENCY USE.

Ventilation:LOCAL EXHAUST TO PREVENT ACCUMULATION OF HIGH

CONCENTRATIONSSO AS TO REDUCE THE OXYGEN LEVEL IN THE AIR. Protective Gloves:ANY MATERIAL Eye Protection:SAFETY GLASSES OR GOGGLES Other Protective Equipment:SAFETY SHOES Supplemental Safety and Health NK

Boiling Pt:B.P. Text:-320.445F Vapor Pres:70F Vapor Density:.07245 Appearance and Odor:COLORLESS,ODORLESS GAS

Stability Indicator/Materials to Avoid:YES

N ONE

Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods:DO NOT ATTEMPT TO DISPOSE OF WASTE OR UNUSED QUANTITIES. RETURN IN THE SHIPPING CONTAINER, PROPERLY LABLED. WITH VALVE OUTLET PLUGS OR CAPS SECURED & VALVE PROTECTION CAP IN PACE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of t he Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.