View NSN Online: https://aerobasegroup.com/nsn/8010-00-616-4010

EVERSEAL MANUFACTURING CO., INC. -- BROWN EXT. ALKYD 10219 -- 8010-00-616-4010

============= Product Identification ===============

Product ID:BROWN EXT. ALKYD 10219

MSDS Date:03/13/1987

FSC:8010

NIIN:00-616-4010

MSDS Number: BHDRC === Responsible Party ===

Company Name: EVERSEAL MANUFACTURING CO., INC.

Address:475 BROAD AVENUE

City:RIDGEFIELD

State:NJ ZIP:07657 Country:US

Emergency Phone Num:201-943-4986

CAGE:EO43

2

=== Contractor Identification ===

Company Name: EVERSEAL MANUFACTURING CO., INC.

CAGE:EO432

Company Name: EVERSEAL MFG CO INC

Address:475 BROAD AVE Box:City:RIDGEFIELD

State:NJ

ZIP:07657-2329 Country:US

Phone:201-943-4986

CAGE:72988

======= Composition/Information on Ingredients ========

Ingred Name: RESIN Fraction by Wt: 24%

Ingred Name:LINSEED OIL

Fraction by Wt: 20%

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 6%

OSHA PEL:15 MG/M3 TDUST

ACGIH T

LV:10 MG/M3 TDUST; 9293 Ingred Name:ZINC OXIDE CAS:1314-13-2 RTECS #:ZH4810000 Fraction by Wt: 10% OSHA PEL:15MG/M3 TDUST/5 FUME ACGIH TLV:10MG/M3 TDUST; 9293 Ingred Name: CALCIUM CARBONATE (MARBLE) (LIMESTONE) CAS:1317-65-3 RTECS #:EV9580000 Fraction by Wt: 19% OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST: 9192 Ingred Name:MINERAL SPIRITS VAPOR PRESSURE 5 Fraction by Wt: 13% OSHA PEL:120 PPM Ingred Name: IRON OXIDE CAS:1332-37-2 RTECS #:NO7380000 Fraction by Wt: 5% **OSHA PE** L:10 MG/M3 ========== Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES INHALATION: EXCESSIVE INHALATION

Effects of Overexposure: SKIN: DRYING EYES: IRRITATION MAY CAUSE ANESTHESIA, HEADACHE, DIZZINESS, NAUSEAUPPER RESPIRATORY IRRITATION.

First Aid:INHALATION: REMOVE TO FRESH AIR. APPLY ARTIFICAL RESPIRATION IF NECESSARY. SKIN: WA

SH WITH MILD SOAP AND WATER. APPLY A MILD CREAM. CONTACT A PHYSICIAN. INGESTION: CALL A PHYSICIAN Flash Point:105F/40.56C **Upper Limits:1** Extinguishing Media: FOAM, CO2, DRY CHEMICAL Unusual Fire/Explosion Hazard: WATER NOT A SUITABLE EXTINGIUSHING MEDIUM, FIREFIGHTERS SHOULD WEAR S.C.B.A. ========= Accidental Release Measures ============ Spill Release Procedures: FLUSH WITH WATER INTO RETAINING AREA OR CONTAINER.AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL QUANTITIES MAY BE ABSORBED ONTO AN APPROPRIATE ABSORBANT. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP COOL, AWAY FROM SOURCE OF IGNITION, ADEQUATE VENTILATION. AVOID PROLONGED & REPEATED PERSONAL CONTACT. Other Precautions: NPCA/HMIS RATEING 3,2,0,H ===== Exposure Controls/Personal Protection ======== Respiratory Protection: CARTRIDGE RESPRIATOR OR MASK, DEPENDS ON CONCENTRATION ABOVE TIME WEIGHTED TLV. Ventilation: LOCAL EXHAUST WHATEVER IS SUFFICIENT TO KEEP WORKING ROOM CONCENTRATION BELOW THE TLV Protective Gloves: IMPERMEABLE Eye Protection: CHEMICAL GOGGLES. Other Protective Equipment: APRON, BARRIER CREAM Supplemental Safety and Health NK ======== Physical/Chemical Properties ============ Boiling Pt:B.P. Text:323-390F Vapor Density:>AIR Evaporation Rate & Evaporation R Percen

========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES, FIRE Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE/DIOXIDE
======= Disposal Considerations ==========
Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FED ERAL REGULA- TIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.

t Volatiles by Volume:23