

HERNON MANUFACTURING, INC. -- PIPE SEALANT WITH TEFLON 920 -- 8030-01-054-0740

=====
Product Identification
=====

Product ID:PIPE SEALANT WITH TEFLON 920

MSDS Date:02/01/1989

FSC:8030

NIIN:01-054-0740

MSDS Number: BHFDF

=== Responsible Party ===

Company Name:HERNON MANUFACTURING, INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency P

hone Num:718-649-3000

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DEMETHACRYLATE

Fraction by Wt: 12-17%

OSHA PEL:NA

ACGIH TLV:

NA

Ingred Name:TEFLON
CAS:116-14-3
RTECS #:KX4025000
Fraction by Wt: 5-10%
OSHA PEL:NA
ACGIH TLV:NA

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: 2-4%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:BIS-PHENOL AFUMARATE RESIN
Fraction by Wt: 27-32%
OSHA PEL:NA
ACGIH TLV:NA

Ingred Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA)
CAS:12001-26-2
RTECS #:VV8760000
Fraction by Wt: 2-4%
OSHA PEL:20 MPPCF
ACGIH TLV:3 MG/M3 RDUST; 9293

Ingred Name:P
OLYESTER PLASTISIZERRESIN
Fraction by Wt: 10-15%
OSHA PEL:NA
ACGIH TLV:NA

Ingred Name:SILICA, CRYSTALLINE - FUSED
CAS:60676-86-0
RTECS #:VV7328000
Fraction by Wt: 2-4%
OSHA PEL:SEE TABLE Z3
ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)
CAS:80-15-9
RTECS #:MX2450000
Fraction by Wt: 1-2%
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:SILICATER PLASTISIZERRESIN
Fraction by Wt: 9-13%
OSHA PEL:NA
ACGIH TLV:NA

=====

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NA
Effects of Overexposure:SKIN: MAY CAUSE IRRITATION
EYES: MAY CAUSE IRRITATION
Medical Cond Aggravated by Exposure:SKIN IRRITATION

==== First Aid Measures =====

First Aid:EYES: WASH WITH PLENTY OF WATER FOR SEVERAL MINUTES. GET
MED
ICAL ATTENTION. SKIN: WASH THOROUGHLY WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. INGESTION: LOW TOXICITY, GET
MEDICAL AT TENTION.

==== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>200F/>93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:FOAM, DRY CHEMICAL
Fire Fighting Procedures:SELF-CONTAINED BREATHING AND PROTECTIVE
CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS
Unusual Fire/Explosion
Hazard:NONE

==== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN INERT MATERIAL. STORE IN CLOSED
CON- TAINER UNTIL DISPOSAL.

==== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 100F AND AVOID PROLONGED
SKIN CONTACT.
Other Precautions:TYPE OR CLASS: DOT-UNRESTRICTED, IATA-UNRESTRICTED

==== Exposure Controls/Personal Protection =====

Respiratory Protec

tion:NA
Ventilation:LOCAL EXHAUST IS NECESSARY
Protective Gloves:RUBBER OR PLASTIC
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:AS REQUIRED
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text: