

GOAL CHEMICAL SEALANTS CORPORATION -- ACCELERATOR -- 8030-01-184-0330

=====
Product Identification
=====

Product ID:ACCELERATOR

MSDS Date:07/18/1986

FSC:8030

NIIN:01-184-0330

MSDS Number: BHFGV

=== Responsible Party ===

Company Name:GOAL CHEMICAL SEALANTS CORPORATION

Address:3137 EAST 26TH STREET

Box:NA

City:LOS ANGELES

State:CA

ZIP:90023

Country:US

Info Phone Num:213-269-0461

Emergency Phone Num

:800-424-9300

CAGE:7P245

=== Contractor Identification ===

Company Name:GOAL CHEMICAL SEALANTS CORPORATION

Address:3137 E 26TH ST

Box:City:LOS ANGELES

State:CA

ZIP:90023-4206

Country:US

Phone:213-269-0461

CAGE:7P245

=====
Composition/Information on Ingredients
=====

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE)

CAS:1313-13-9

RTECS #:OP0350000

OSHA PEL:C,5 MG/M3/1 FUME TWA

ACGIH TLV:5 MG/M3 DUST/1 FUME

=====
Hazards Identification
=====

Route

s of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CAUSES IRRITATION TO THE EYES AND
SKIN. INGESTION CAUSES GASTROINTESTINAL DIST- URBANCE
Effects of Overexposure:SPASTIC GAIT, UNCONTROLABLE LAUGHTER,
SLEEPLESSNESS.
Medical Cond Aggravated by Exposure:KIDNEY, CENTRAL NERVOUS SYSTEM,
CIRCULATORY SYSTM.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CONTACT A PHYSICIAN.
SKIN: WASH WITH SOAP AND WATER.
INGESTION: INDUCE VOMITING.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:345F/174C
Extinguishing Media:DRY CHEMICAL, CO2, WATER
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED
BREATHING APPARATUS AND FULL PROTECTIVECLOTHING.
Unusual Fire/Explosion Hazard:CONTAINS OXIDIZING AGENT. MAY REACT WITH
OXIDIZABLE SUBSTANCE
S RAPIDLY ENOUGH TO IGNITE THEM.

=====
Accidental Release Measures
=====

Spill Release Procedures:SCRAPE UP SPILLED MATERIAL AND RETURN TO
CONTAINERREMOVE BALANCE OF MATERIAL WITH SWEEPING COMPOUND.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. STORE AWAY
FROM OTHER CHEMICALS AND POTENTIAL SOURCES OF CONTAMINATION.
Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER
HANDLING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:MSHA/NIOSH APPROVED RESPIRATORS FOR DUST TC-21C
Ventilation:LOCAL EXHAUST OR MECHANICAL
Protective Gloves:NITRILE OR NEOPRENE
Eye Protection:SAFETY GLASSES W/SPLASH SHIELD
Other Protective Equipment:IMPERVIOUS CLOTHING, EYE WASH STATION.
Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE IN WORK AREA.
Supplemental Safety and Health
NK

=====
Physical/Chemical Properties
=====

=====

HCC:N1

Boiling Pt:B.P. Text:340F

Vapor Pres:0.1

Vapor Density:NA

Spec Gravity:2.00

Evaporation Rate & Reference:NA

Solubility in Water:INSOUBLE

Appearance and Odor:BLACK PASTE, OILY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Hazardous Decomposition Products:CO₂,CO, SMOKE, MNO,

===== Disposal Considerations =====

Waste Disposal Methods:REACTS WITH BASE C

OMPOUND. MAY BE DISPOSED OF IN

CLOSED CONTAINERS IN AN EPA APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.