

BAKER SEALANTS AND COATINGS CO. -- GOLD BOND POLYSULFIDE SEALANT -- 8040-00-145-0439

=====  
Product Identification  
=====

Product ID:GOLD BOND POLYSULFIDE SEALANT  
MSDS Date:01/01/1987  
FSC:8040  
NIIN:00-145-0439  
Kit Part:Y  
MSDS Number: BHFMX  
=== Responsible Party ===  
Company Name:BAKER SEALANTS AND COATINGS CO.  
Address:234 SUYDAM AVENUE  
City:JERSEY CITY  
State:NJ  
ZIP:07304  
Country:US  
Info Phone Num:20  
1-33-6986  
Emergency Phone Num:201-333-6986  
CAGE:34094  
=== Contractor Identification ===  
Company Name:BAKER SEALANTS AND COATINGS CO  
Address:234 SUYDAM AVE  
Box:City:JERSEY CITY  
State:NJ  
ZIP:07304-3306  
Country:US  
Phone:201-333-6986  
CAGE:34094

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PIGMENTS  
Fraction by Wt: 38.77%

Ingred Name:CATALYST  
Fraction by Wt: 7.70%

Ingred Name:VEHICLE  
Fraction by Wt: 47.99%

Ingred Name:SOLVENTS  
Fraction by Wt: 5.54%

Ingred Name

:LEAD PEROXIDE (CATALYST)

CAS:1309-60-0

RTECS #:OG0700000

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:NOT KNOWN

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER. AND  
BREATHING; REMOVE TO FRESH AIR. "OBJECT IS TO GET MEDICAL ATTENTION  
IMMEDIATELY  
"

=====  
===== Fire Fighting Measures =====

Flash Point:> 212 F/100.00 C  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:CO2, OR DRY CHEMICAL OR FOAM  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COVER SPILL WITH ABSORBENT. SHOVEL INTO  
CONTAINERS

=====  
===== Handling and Storage =====

Handling and Storage Precautions  
:WASH HANDS AFTER USING. AVOID  
INGESTION OF CATALYST. KEEP FROM ALL SOURCES OF IGNITION  
Other Precautions:NA

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS  
Ventilation:LOCAL EXHAUST NORMALLY GOOD  
Protective Gloves:RUBBER GLOVES  
Eye Protection:GOGGLES  
Other Protective Equipment:NORMAL CLOTHING AND SHOES  
Supplemental Safety and Health  
NK

=====  
===== Physical/Chemical Properties =====

Boilin

g Pt:B.P. Text:NA  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.546  
Evaporation Rate & Reference:NA  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK VISCOUS LIQUID  
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NA  
Stability Condition to Avoid:HEAT  
Hazardous Decomposition Products:NONE  
Conditions to Avoid Polymerization:HEAT & MIXING WITH CATALYST WILL  
CAUSE POLYMERIZATION, BUT NOT HAZARDOUS

===== Disposal Considerations =====

Waste Disposal Methods:AS PER LOCAL, STATE OR FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.