

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1201-RLS PART A POLYSULFIDE SEALANT -- 8030-00-148-7362

=====  
===== Product Identification =====

Product ID:PR-1201-RLS PART A POLYSULFIDE SEALANT

MSDS Date:03/15/1988

FSC:8030

NIIN:00-148-7362

Kit Part:Y

MSDS Number: BHFMY

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:818-240-2060

Preparer's Name:AS

CAGE:8K647

=== Contractor Identification ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:800-228-5635

CAGE:8K647

=====  
===== Composition/Information on Ingredients =====

Ingred Name:LEAD DIOXIDE

CAS:1309-60-0

Fraction by Wt: 75%

OSHA PEL:0.05 MG/M3

ACGIH TLV:0.15 MG/M3

=====

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:LEAD DIOXIDE IS BY INHAL OF AIRBORNE  
DUST PARTICLES. IN THIS PRODUCT, LEAD DIOXIDE IS THOROUGHLY &  
PERMANENTLY WETTED, & THEREFORE DOES NOT PRESENT A RISK OF EXPOSURE  
TO DUST PARTICLES. HOWEVER, INORG ANIC LEAD COMPOUNDS IN GENERAL  
ARE TOXICBY INGES, ALTHOUGH NOT READILY ABSORBED.  
Effects of Overexposure:SEE ABOVE. ALSO ANEMIA, CENTRAL NERVOUS SYSTEM  
EFFECTS, ABDOMINAL COLIC OR KIDNEY FUNCTION LOSS CAN OCCUR AT BLOOD  
LEAD LEVELS OF 60 MICROGRAMS/100 GRAMS. THE MAXIMUM IS 40  
MIRCROGRAMS/100 GRAMS

=====  
First Aid Measures  
=====

First Aid:EYES: IMMED FLUSH WITH WATER. IF IRRI PERSISTS, CONSULT  
PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INHALATION:  
NOT APPLICABLE. AND INGESTION: CONSULT A PHYSICIAN

=====  
Fire Fighting Measures  
=====

Flash Point:NA  
Extinguishing Media:WATER  
Unusual Fire/Explosion Hazard:OXIDIZER

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCOOP UP SPILLED MATERIAL. CLEAN UP RESIDUE  
WITH RAGS AND NON-FLAMMABLE SOLVENT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING &  
BEFORE SMOKING OREATING. AVOID INGE  
STION. THIS PRODUCT CONTAINS A  
TOXIC CHEM(S) SUBJECT TO THE REPORTING REQUIREMENTS

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:NA  
Protective Gloves:OIL RESISTANT GLOVES ARE RECOMMENDED  
Eye Protection:SAFETY GLASSES  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
SMOKING OR EATING.  
Supplemental Safety and Health  
NK

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:NA  
Vapor Pres:NA  
Vapor Densi

ty:NA  
Spec Gravity:2.6  
Evaporation Rate & Reference:NA  
Solubility in Water:NEGLIGIBLE  
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NK  
Hazardous Decomposition Products:SMOKE; SOOT; CARBON MONOXIDE; CARBON  
DIOXIDE; LEAD COMPOUNDS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH FEDERAL AND STATE  
REGULATIONS. DOO8 E  
PA HAZARDOUS WASTE

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their

particular situation.