

CHEMICAL SPECIALISTS & DEVELOPMENT -- TURPENTINE -- 8010-00-290-1180

===== Product Identification =====

Product ID:TURPENTINE

MSDS Date:10/01/1990

FSC:8010

NIIN:00-290-1180

MSDS Number: BHFPH

=== Responsible Party ===

Company Name:CHEMICAL SPECIALISTS & DEVELOPMENT

Address:#5 HACKBERRY LANE

City:CUT & SHOOT

State:TX

ZIP:77303

Country:US

Info Phone Num:409-756-1065

Emergency Phone Num:800-424-9300

CHEMTREC

Preparer's Name:DAVID M. SHIPP

CAGE:CHEMS

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS INC

Address:149 WEST TRIGG AVE

City:HARRISBURG

State:NC

ZIP:28075

Country:US

Phone:704-522-0825

CAGE:CHEMS

Company Name:CSD INC. (PRE 1985 NAME: MATHEWS, INC)

Address:420 SEABOARD DRIVE

Box:City:MATTHEWS

State:NC

ZIP:28105-5073

Country:US

Phone:704-821-9822

CAGE:5W216

===== Composition/Information on Ingredients =====

Ingred Name:TURPENTINE

CAS:8006-64-2

RTE

CS #:YO8400000  
Fraction by Wt: 100%  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Health Hazards Acute and Chronic:HEADACHE, DIZZINESS

===== First Aid Measures =====

First Aid:EYES- FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN. SKIN-  
REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. INHALATION-  
REMOVE VICTIM FROM CONTAMINATED AREA. ADMINISTER ARTIFICIAL  
RESPIRATION IF NECESSARY.  
CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:105F,41C  
Autoignition Temp:Autoignition Temp Text:488 F  
Lower Limits:0.8  
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE.  
Fire Fighting Procedures:COOL CONTAINERS WITH WATER IF EXPOSED TO FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCE OF IGNITION. NO SMOKING. FLUSH  
AWAY SMALL SPILLS WITH  
WATER. PUMP LARGE SPILLS TO SALVAGE TANK.

===== Handling and Storage =====

Handling and Storage Precautions:WARNING! FLAMMABLE. KEEP AWAY FROM  
OPEN FLAME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED OR AIR-LINE BREATHING APPARATUS  
IN HIGH VAPOR CONCENTRATIONS.  
Ventilation:LOCAL EXHAUST- PREFERRED.  
Eye Protection:CHEMICAL-SPLASH SAFETY GOGGLES.  
Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:307F,153C

Vapor Pres:4 MM HG

Spec Gravity:0.864

Evaporation Rate & Reference:1 (BUTYL ACETATE = 1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID, PINEY ODOR

Percent Volatiles by Volume:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG MINERAL ACIDS, ALUMINUM CHLORIDE, BORON TRIFLUORIDE.

===== Dis

posal Considerations =====

Waste Disposal Methods:INCINERATE. DISPOSE OF IN ACCORDANCE WITH  
GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.