

HERNON MANUFACTURING INC. -- PRIMER, ID: 12 -- 8030-00-935-5816

=====  
Product Identification  
=====

Product ID:PRIMER, ID: 12

MSDS Date:09/29/1988

FSC:8030

NIIN:00-935-5816

MSDS Number: BHFTF

=== Responsible Party ===

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

CAGE:DO3

46

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 98

%  
OSHA PEL:350 PPM/450 STEL  
ACGIH TLV:350 PPM/450STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:TRIALKYLAMINE  
Fraction by Wt: 1%

Ingred Name:COPPER SALT  
Fraction by Wt: 1%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Effects of Overexposure:HEADACHE, NAUSEA, DIZZINESS

===== First Aid Measures =====

First Aid:EYE: FLUSH THOROUGHLY  
WITH WATER, SEEK MEDICAL ATTENTION  
SKIN: FLUSH WITH WATER  
INHAL: REMOVE TO FRESH AIR, SEEK  
MEDICAL ATTENTIONINGST: DO NOT INDUCE VOMITING, SEEK MEDICAL  
ATTENTION

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM  
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

==

Spill Release Procedures:ALLOW TO EVAPORATE WITH GOOD VENTILATION, SOAK  
UP RESIDUE IN INERT ABSORBENT

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110F. AVOID PROLONG  
BREATHING OF THE VAPOR.  
Other Precautions:KEEP AWAY FROM CHILDREN

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR SELF CONTAINED BREATHING APPARATUS  
Ventilation:LOCAL EXHAUST  
Protective Gloves:RUBBER

OR PLASTIC

Eye Protection:SAFETY GLASS OR GOGGLES

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:170F

Vapor Pres:100

Vapor Density:4.6

Spec Gravity:1.32 @ 70F

Solubility in Water:LOW

Appearance and Odor:GREEN LIQUID, SHARP ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

REACT WITH ALUMINUM ON PROLONGED CONTACT

Hazardous Decomposition Products:TOXIC

CHLORIDE

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW FEDERAL AND LOCAL REGULATIONS FOR  
DISPOSAL OF CHLORINATED HYDROCARBONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.